

Allen-Bradley SMC-3, SMC Flex and SMC-50 smart motor controllers (soft starters), catalog number list

139 catalog numbers for Allen-Bradley Bulletin 150 smart motor controllers (soft starters), decoded with the official catalog number explanation and product selection tables. Ratings are for line-connected motors; the ampere code is the controller rating. Catalog number: 150-C = SMC-3, 150-F = SMC Flex, 150-S = SMC-50; then the ampere rating; N = open type; line voltage B = 200...460V AC (SMC-50: 200...480V AC), C = 200...600V AC (SMC-3) or 200...575V AC (SMC Flex), Z = 230...690V AC (SMC Flex, 108 A and above); control voltage D = 100...240V AC, R = 24V AC/DC (SMC-50: 24V DC), E = 110/120V AC and A = 230/240V AC (SMC Flex 625...1250 A); SMC Flex option B = Pump Control, D = Braking Control. Ask us for availability, lead time and price for any item below.

SMC-3 smart motor controllers (150-C)

ORDER NUMBER	DESCRIPTION	
150 - C9NBD	SMC-3 smart motor controller, 9 A, 200...460V AC, 3-phase, 100...240V AC control; max. 4 kW at 380/400/415V / 1.5...5 Hp at 460V	Request a Quote
150 - C9NBR	SMC-3 smart motor controller, 9 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 4 kW at 380/400/415V / 1.5...5 Hp at 460V	Request a Quote
150 - C9NCR	SMC-3 smart motor controller, 9 A, 200...600V AC, 3-phase, 24V AC/DC control; max. 5.5 kW at 500V / 3...7.5 Hp at 575V	Request a Quote
150 - C16NBD	SMC-3 smart motor controller, 16 A, 200...460V AC, 3-phase, 100...240V AC control; max. 7.5 kW at 380/400/415V / 5...10 Hp at 460V	Request a Quote
150 - C16NBR	SMC-3 smart motor controller, 16 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 7.5 kW at 380/400/415V / 5...10 Hp at 460V	Request a Quote
150 - C19NBD	SMC-3 smart motor controller, 19 A, 200...460V AC, 3-phase, 100...240V AC control; max. 7.5 kW at 380/400/415V / 5...10 Hp at 460V	Request a Quote
150 - C19NBR	SMC-3 smart motor controller, 19 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 7.5 kW at 380/400/415V / 5...10 Hp at 460V	Request a Quote
150 - C25NBD	SMC-3 smart motor controller, 25 A, 200...460V AC, 3-phase, 100...240V AC control; max. 11 kW at 380/400/415V / 7.5...15 Hp at 460V	Request a Quote
150 - C25NBR	SMC-3 smart motor controller, 25 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 11 kW at 380/400/415V / 7.5...15 Hp at 460V	Request a Quote
150 - C30NBD	SMC-3 smart motor controller, 30 A, 200...460V AC, 3-phase, 100...240V AC control; max. 15 kW at 380/400/415V / 7.5...20 Hp at 460V	Request a Quote
150 - C30NBR	SMC-3 smart motor controller, 30 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 15 kW at 380/400/415V / 7.5...20 Hp at 460V	Request a Quote
150 - C30NCR	SMC-3 smart motor controller, 30 A, 200...600V AC, 3-phase, 24V AC/DC control; max. 18.5 kW at 500V / 10...25 Hp at 575V	Request a Quote
150 - C37NBD	SMC-3 smart motor controller, 37 A, 200...460V AC, 3-phase, 100...240V AC control; max. 18.5 kW at 380/400/415V / 10...25 Hp at 460V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150 - C37NBR	SMC-3 smart motor controller, 37 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 18.5 kW at 380/400/415V / 10...25 Hp at 460V	Request a Quote
150 - C43NBD	SMC-3 smart motor controller, 43 A, 200...460V AC, 3-phase, 100...240V AC control; max. 22 kW at 380/400/415V / 10...30 Hp at 460V	Request a Quote
150 - C43NBR	SMC-3 smart motor controller, 43 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 22 kW at 380/400/415V / 10...30 Hp at 460V	Request a Quote
150 - C60NBD	SMC-3 smart motor controller, 60 A, 200...460V AC, 3-phase, 100...240V AC control; max. 30 kW at 380/400/415V / 15...40 Hp at 460V	Request a Quote
150 - C60NBR	SMC-3 smart motor controller, 60 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 30 kW at 380/400/415V / 15...40 Hp at 460V	Request a Quote
150 - C85NBD	SMC-3 smart motor controller, 85 A, 200...460V AC, 3-phase, 100...240V AC control; max. 45 kW at 380/400/415V / 25...60 Hp at 460V	Request a Quote
150 - C85NBR	SMC-3 smart motor controller, 85 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 45 kW at 380/400/415V / 25...60 Hp at 460V	Request a Quote
150 - C108NBD	SMC-3 smart motor controller, 108 A, 200...460V AC, 3-phase, 100...240V AC control; max. 55 kW at 380/400/415V / 50...75 Hp at 460V	Request a Quote
150 - C135NBD	SMC-3 smart motor controller, 135 A, 200...460V AC, 3-phase, 100...240V AC control; max. 75 kW at 380/400/415V / 60...100 Hp at 460V	Request a Quote
150 - C201NBR	SMC-3 smart motor controller, 201 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 95...110 kW at 380/400/415V / 75...150 Hp at 460V	Request a Quote
150 - C317NBD	SMC-3 smart motor controller, 317 A, 200...460V AC, 3-phase, 100...240V AC control; max. 95...160 kW at 380/400/415V / 125...250 Hp at 460V	Request a Quote

SMC Flex smart motor controllers (150-F)

ORDER NUMBER	DESCRIPTION	
150 - F5NBD	SMC Flex smart motor controller, 5 A, 200...460V AC, 3-phase, 100...240V AC control; max. 2.2 kW at 400/415V / 3 Hp at 460V	Request a Quote
150 - F5NBDB	SMC Flex smart motor controller, 5 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 2.2 kW at 400/415V / 3 Hp at 460V	Request a Quote
150 - F5NBR	SMC Flex smart motor controller, 5 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 2.2 kW at 400/415V / 3 Hp at 460V	Request a Quote
150 - F5NCD	SMC Flex smart motor controller, 5 A, 200...575V AC, 3-phase, 100...240V AC control; max. 2.2 kW at 500V / 3 Hp at 575V	Request a Quote
150 - F25NBD	SMC Flex smart motor controller, 25 A, 200...460V AC, 3-phase, 100...240V AC control; max. 11 kW at 400/415V / 15 Hp at 460V	Request a Quote
150 - F25NBDB	SMC Flex smart motor controller, 25 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 11 kW at 400/415V / 15 Hp at 460V	Request a Quote
150 - F25NBR	SMC Flex smart motor controller, 25 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 11 kW at 400/415V / 15 Hp at 460V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150-F25NBRB	SMC Flex smart motor controller, 25 A, 200...460V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 11 kW at 400/415V / 15 Hp at 460V	Request a Quote
150-F25NCD	SMC Flex smart motor controller, 25 A, 200...575V AC, 3-phase, 100...240V AC control; max. 15 kW at 500V / 20 Hp at 575V	Request a Quote
150-F25NCDB	SMC Flex smart motor controller, 25 A, 200...575V AC, 3-phase, 100...240V AC control, Pump Control option; max. 15 kW at 500V / 20 Hp at 575V	Request a Quote
150-F25NCRB	SMC Flex smart motor controller, 25 A, 200...575V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 15 kW at 500V / 20 Hp at 575V	Request a Quote
150-F43NBD	SMC Flex smart motor controller, 43 A, 200...460V AC, 3-phase, 100...240V AC control; max. 22 kW at 400/415V / 30 Hp at 460V	Request a Quote
150-F43NBDB	SMC Flex smart motor controller, 43 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 22 kW at 400/415V / 30 Hp at 460V	Request a Quote
150-F43NBDD	SMC Flex smart motor controller, 43 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 22 kW at 400/415V / 30 Hp at 460V	Request a Quote
150-F43NBR	SMC Flex smart motor controller, 43 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 22 kW at 400/415V / 30 Hp at 460V	Request a Quote
150-F43NBRB	SMC Flex smart motor controller, 43 A, 200...460V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 22 kW at 400/415V / 30 Hp at 460V	Request a Quote
150-F43NCD	SMC Flex smart motor controller, 43 A, 200...575V AC, 3-phase, 100...240V AC control; max. 22 kW at 500V / 40 Hp at 575V	Request a Quote
150-F60NBD	SMC Flex smart motor controller, 60 A, 200...460V AC, 3-phase, 100...240V AC control; max. 30 kW at 400/415V / 40 Hp at 460V	Request a Quote
150-F60NBDB	SMC Flex smart motor controller, 60 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 30 kW at 400/415V / 40 Hp at 460V	Request a Quote
150-F60NBDD	SMC Flex smart motor controller, 60 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 30 kW at 400/415V / 40 Hp at 460V	Request a Quote
150-F60NBR	SMC Flex smart motor controller, 60 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 30 kW at 400/415V / 40 Hp at 460V	Request a Quote
150-F60NBRB	SMC Flex smart motor controller, 60 A, 200...460V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 30 kW at 400/415V / 40 Hp at 460V	Request a Quote
150-F60NCD	SMC Flex smart motor controller, 60 A, 200...575V AC, 3-phase, 100...240V AC control; max. 37 kW at 500V / 50 Hp at 575V	Request a Quote
150-F60NCR	SMC Flex smart motor controller, 60 A, 200...575V AC, 3-phase, 24V AC/DC control; max. 37 kW at 500V / 50 Hp at 575V	Request a Quote
150-F85NBD	SMC Flex smart motor controller, 85 A, 200...460V AC, 3-phase, 100...240V AC control; max. 45 kW at 400/415V / 60 Hp at 460V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150 - F85NBDB	SMC Flex smart motor controller, 85 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 45 kW at 400/415V / 60 Hp at 460V	Request a Quote
150 - F85NBDD	SMC Flex smart motor controller, 85 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 45 kW at 400/415V / 60 Hp at 460V	Request a Quote
150 - F85NBR	SMC Flex smart motor controller, 85 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 45 kW at 400/415V / 60 Hp at 460V	Request a Quote
150 - F85NBRB	SMC Flex smart motor controller, 85 A, 200...460V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 45 kW at 400/415V / 60 Hp at 460V	Request a Quote
150 - F85NBRD	SMC Flex smart motor controller, 85 A, 200...460V AC, 3-phase, 24V AC/DC control, Braking Control option; max. 45 kW at 400/415V / 60 Hp at 460V	Request a Quote
150 - F85NCD	SMC Flex smart motor controller, 85 A, 200...575V AC, 3-phase, 100...240V AC control; max. 55 kW at 500V / 75 Hp at 575V	Request a Quote
150 - F108NBD	SMC Flex smart motor controller, 108 A, 200...460V AC, 3-phase, 100...240V AC control; max. 55 kW at 400/415V / 75 Hp at 460V	Request a Quote
150 - F108NBDB	SMC Flex smart motor controller, 108 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 55 kW at 400/415V / 75 Hp at 460V	Request a Quote
150 - F108NBDD	SMC Flex smart motor controller, 108 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 55 kW at 400/415V / 75 Hp at 460V	Request a Quote
150 - F108NBR	SMC Flex smart motor controller, 108 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 55 kW at 400/415V / 75 Hp at 460V	Request a Quote
150 - F108NBRB	SMC Flex smart motor controller, 108 A, 200...460V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 55 kW at 400/415V / 75 Hp at 460V	Request a Quote
150 - F108NCD	SMC Flex smart motor controller, 108 A, 200...575V AC, 3-phase, 100...240V AC control; max. 75 kW at 500V / 100 Hp at 575V	Request a Quote
150 - F108NZD	SMC Flex smart motor controller, 108 A, 230...690V AC, 3-phase, 100...240V AC control; max. 90 kW at 690V / 100 Hp at 600V	Request a Quote
150 - F135NBD	SMC Flex smart motor controller, 135 A, 200...460V AC, 3-phase, 100...240V AC control; max. 75 kW at 400/415V / 100 Hp at 460V	Request a Quote
150 - F135NBDB	SMC Flex smart motor controller, 135 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 75 kW at 400/415V / 100 Hp at 460V	Request a Quote
150 - F135NBDD	SMC Flex smart motor controller, 135 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 75 kW at 400/415V / 100 Hp at 460V	Request a Quote
150 - F135NBRD	SMC Flex smart motor controller, 135 A, 200...460V AC, 3-phase, 24V AC/DC control, Braking Control option; max. 75 kW at 400/415V / 100 Hp at 460V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150-F135NCD	SMC Flex smart motor controller, 135 A, 200...575V AC, 3-phase, 100...240V AC control; max. 90 kW at 500V / 125 Hp at 575V	Request a Quote
150-F135NZD	SMC Flex smart motor controller, 135 A, 230...690V AC, 3-phase, 100...240V AC control; max. 132 kW at 690V / 125 Hp at 600V	Request a Quote
150-F135NZDB	SMC Flex smart motor controller, 135 A, 230...690V AC, 3-phase, 100...240V AC control, Pump Control option; max. 132 kW at 690V / 125 Hp at 600V	Request a Quote
150-F201NBD	SMC Flex smart motor controller, 201 A, 200...460V AC, 3-phase, 100...240V AC control; max. 110 kW at 400/415V / 150 Hp at 460V	Request a Quote
150-F201NBDB	SMC Flex smart motor controller, 201 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 110 kW at 400/415V / 150 Hp at 460V	Request a Quote
150-F201NBDD	SMC Flex smart motor controller, 201 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 110 kW at 400/415V / 150 Hp at 460V	Request a Quote
150-F201NBR	SMC Flex smart motor controller, 201 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 110 kW at 400/415V / 150 Hp at 460V	Request a Quote
150-F201NBRB	SMC Flex smart motor controller, 201 A, 200...460V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 110 kW at 400/415V / 150 Hp at 460V	Request a Quote
150-F201NBRD	SMC Flex smart motor controller, 201 A, 200...460V AC, 3-phase, 24V AC/DC control, Braking Control option; max. 110 kW at 400/415V / 150 Hp at 460V	Request a Quote
150-F201NCD	SMC Flex smart motor controller, 201 A, 200...575V AC, 3-phase, 100...240V AC control; max. 132 kW at 500V / 200 Hp at 575V	Request a Quote
150-F201NCDB	SMC Flex smart motor controller, 201 A, 200...575V AC, 3-phase, 100...240V AC control, Pump Control option; max. 132 kW at 500V / 200 Hp at 575V	Request a Quote
150-F201NZD	SMC Flex smart motor controller, 201 A, 230...690V AC, 3-phase, 100...240V AC control; max. 160 kW at 690V / 200 Hp at 600V	Request a Quote
150-F201NZDB	SMC Flex smart motor controller, 201 A, 230...690V AC, 3-phase, 100...240V AC control, Pump Control option; max. 160 kW at 690V / 200 Hp at 600V	Request a Quote
150-F251NBD	SMC Flex smart motor controller, 251 A, 200...460V AC, 3-phase, 100...240V AC control; max. 132 kW at 400/415V / 200 Hp at 460V	Request a Quote
150-F251NBDB	SMC Flex smart motor controller, 251 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 132 kW at 400/415V / 200 Hp at 460V	Request a Quote
150-F251NBDD	SMC Flex smart motor controller, 251 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 132 kW at 400/415V / 200 Hp at 460V	Request a Quote
150-F251NBR	SMC Flex smart motor controller, 251 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 132 kW at 400/415V / 200 Hp at 460V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150-F251NCD	SMC Flex smart motor controller, 251 A, 200...575V AC, 3-phase, 100...240V AC control; max. 160 kW at 500V / 250 Hp at 575V	Request a Quote
150-F251NCDB	SMC Flex smart motor controller, 251 A, 200...575V AC, 3-phase, 100...240V AC control, Pump Control option; max. 160 kW at 500V / 250 Hp at 575V	Request a Quote
150-F251NZD	SMC Flex smart motor controller, 251 A, 230...690V AC, 3-phase, 100...240V AC control; max. 200 kW at 690V / 250 Hp at 600V	Request a Quote
150-F317NBD	SMC Flex smart motor controller, 317 A, 200...460V AC, 3-phase, 100...240V AC control; max. 160 kW at 400/415V / 250 Hp at 460V	Request a Quote
150-F317NBDB	SMC Flex smart motor controller, 317 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 160 kW at 400/415V / 250 Hp at 460V	Request a Quote
150-F317NBDD	SMC Flex smart motor controller, 317 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 160 kW at 400/415V / 250 Hp at 460V	Request a Quote
150-F317NBR	SMC Flex smart motor controller, 317 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 160 kW at 400/415V / 250 Hp at 460V	Request a Quote
150-F317NBRB	SMC Flex smart motor controller, 317 A, 200...460V AC, 3-phase, 24V AC/DC control, Pump Control option; max. 160 kW at 400/415V / 250 Hp at 460V	Request a Quote
150-F317NCD	SMC Flex smart motor controller, 317 A, 200...575V AC, 3-phase, 100...240V AC control; max. 200 kW at 500V / 300 Hp at 575V	Request a Quote
150-F317NCDB	SMC Flex smart motor controller, 317 A, 200...575V AC, 3-phase, 100...240V AC control, Pump Control option; max. 200 kW at 500V / 300 Hp at 575V	Request a Quote
150-F317NZD	SMC Flex smart motor controller, 317 A, 230...690V AC, 3-phase, 100...240V AC control; max. 315 kW at 690V / 400 Hp at 600V	Request a Quote
150-F361NBD	SMC Flex smart motor controller, 361 A, 200...460V AC, 3-phase, 100...240V AC control; max. 200 kW at 400/415V / 300 Hp at 460V	Request a Quote
150-F361NBDB	SMC Flex smart motor controller, 361 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 200 kW at 400/415V / 300 Hp at 460V	Request a Quote
150-F361NBDD	SMC Flex smart motor controller, 361 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 200 kW at 400/415V / 300 Hp at 460V	Request a Quote
150-F361NBR	SMC Flex smart motor controller, 361 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 200 kW at 400/415V / 300 Hp at 460V	Request a Quote
150-F361NCD	SMC Flex smart motor controller, 361 A, 200...575V AC, 3-phase, 100...240V AC control; max. 250 kW at 500V / 350 Hp at 575V	Request a Quote
150-F361NCDB	SMC Flex smart motor controller, 361 A, 200...575V AC, 3-phase, 100...240V AC control, Pump Control option; max. 250 kW at 500V / 350 Hp at 575V	Request a Quote
150-F361NCR	SMC Flex smart motor controller, 361 A, 200...575V AC, 3-phase, 24V AC/DC control; max. 250 kW at 500V / 350 Hp at 575V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150-F361NZD	SMC Flex smart motor controller, 361 A, 230...690V AC, 3-phase, 100...240V AC control; max. 355 kW at 690V / 450 Hp at 600V	Request a Quote
150-F480NBD	SMC Flex smart motor controller, 480 A, 200...460V AC, 3-phase, 100...240V AC control; max. 250 kW at 400/415V / 400 Hp at 460V	Request a Quote
150-F480NBDB	SMC Flex smart motor controller, 480 A, 200...460V AC, 3-phase, 100...240V AC control, Pump Control option; max. 250 kW at 400/415V / 400 Hp at 460V	Request a Quote
150-F480NBDD	SMC Flex smart motor controller, 480 A, 200...460V AC, 3-phase, 100...240V AC control, Braking Control option; max. 250 kW at 400/415V / 400 Hp at 460V	Request a Quote
150-F480NBR	SMC Flex smart motor controller, 480 A, 200...460V AC, 3-phase, 24V AC/DC control; max. 250 kW at 400/415V / 400 Hp at 460V	Request a Quote
150-F480NCD	SMC Flex smart motor controller, 480 A, 200...575V AC, 3-phase, 100...240V AC control; max. 315 kW at 500V / 500 Hp at 575V	Request a Quote
150-F480NCR	SMC Flex smart motor controller, 480 A, 200...575V AC, 3-phase, 24V AC/DC control; max. 315 kW at 500V / 500 Hp at 575V	Request a Quote
150-F480NZD	SMC Flex smart motor controller, 480 A, 230...690V AC, 3-phase, 100...240V AC control; max. 450 kW at 690V / 600 Hp at 600V	Request a Quote
150-F480NZDB	SMC Flex smart motor controller, 480 A, 230...690V AC, 3-phase, 100...240V AC control, Pump Control option; max. 450 kW at 690V / 600 Hp at 600V	Request a Quote
150-F480NZDD	SMC Flex smart motor controller, 480 A, 230...690V AC, 3-phase, 100...240V AC control, Braking Control option; max. 450 kW at 690V / 600 Hp at 600V	Request a Quote
150-F625NBA	SMC Flex smart motor controller, 625 A, 200...460V AC, 3-phase, 230/240V AC control; max. 355 kW at 400/415V / 500 Hp at 460V	Request a Quote
150-F625NBAB	SMC Flex smart motor controller, 625 A, 200...460V AC, 3-phase, 230/240V AC control, Pump Control option; max. 355 kW at 400/415V / 500 Hp at 460V	Request a Quote
150-F625NBAD	SMC Flex smart motor controller, 625 A, 200...460V AC, 3-phase, 230/240V AC control, Braking Control option; max. 355 kW at 400/415V / 500 Hp at 460V	Request a Quote
150-F625NBE	SMC Flex smart motor controller, 625 A, 200...460V AC, 3-phase, 110/120V AC control; max. 355 kW at 400/415V / 500 Hp at 460V	Request a Quote
150-F625NBEB	SMC Flex smart motor controller, 625 A, 200...460V AC, 3-phase, 110/120V AC control, Pump Control option; max. 355 kW at 400/415V / 500 Hp at 460V	Request a Quote
150-F625NBED	SMC Flex smart motor controller, 625 A, 200...460V AC, 3-phase, 110/120V AC control, Braking Control option; max. 355 kW at 400/415V / 500 Hp at 460V	Request a Quote
150-F625NCAD	SMC Flex smart motor controller, 625 A, 200...575V AC, 3-phase, 230/240V AC control, Braking Control option; max. 450 kW at 500V / 600 Hp at 575V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150-F625NZA	SMC Flex smart motor controller, 625 A, 230...690V AC, 3-phase, 230/240V AC control; max. 630 kW at 690V / 800 Hp at 600V	Request a Quote
150-F625NZAB	SMC Flex smart motor controller, 625 A, 230...690V AC, 3-phase, 230/240V AC control, Pump Control option; max. 630 kW at 690V / 800 Hp at 600V	Request a Quote
150-F625NZE	SMC Flex smart motor controller, 625 A, 230...690V AC, 3-phase, 110/120V AC control; max. 630 kW at 690V / 800 Hp at 600V	Request a Quote
150-F780NBA	SMC Flex smart motor controller, 780 A, 200...460V AC, 3-phase, 230/240V AC control; max. 450 kW at 400/415V / 600 Hp at 460V	Request a Quote
150-F780NBAB	SMC Flex smart motor controller, 780 A, 200...460V AC, 3-phase, 230/240V AC control, Pump Control option; max. 450 kW at 400/415V / 600 Hp at 460V	Request a Quote
150-F780NBAD	SMC Flex smart motor controller, 780 A, 200...460V AC, 3-phase, 230/240V AC control, Braking Control option; max. 450 kW at 400/415V / 600 Hp at 460V	Request a Quote
150-F780NBE	SMC Flex smart motor controller, 780 A, 200...460V AC, 3-phase, 110/120V AC control; max. 450 kW at 400/415V / 600 Hp at 460V	Request a Quote
150-F780NBEB	SMC Flex smart motor controller, 780 A, 200...460V AC, 3-phase, 110/120V AC control, Pump Control option; max. 450 kW at 400/415V / 600 Hp at 460V	Request a Quote
150-F780NCA	SMC Flex smart motor controller, 780 A, 200...575V AC, 3-phase, 230/240V AC control; max. 560 kW at 500V / 800 Hp at 575V	Request a Quote
150-F780NCEB	SMC Flex smart motor controller, 780 A, 200...575V AC, 3-phase, 110/120V AC control, Pump Control option; max. 560 kW at 500V / 800 Hp at 575V	Request a Quote
150-F780NZA	SMC Flex smart motor controller, 780 A, 230...690V AC, 3-phase, 230/240V AC control; max. 800 kW at 690V / 1000 Hp at 600V	Request a Quote
150-F970NBA	SMC Flex smart motor controller, 970 A, 200...460V AC, 3-phase, 230/240V AC control; max. 560 kW at 400/415V / 800 Hp at 460V	Request a Quote
150-F970NBAB	SMC Flex smart motor controller, 970 A, 200...460V AC, 3-phase, 230/240V AC control, Pump Control option; max. 560 kW at 400/415V / 800 Hp at 460V	Request a Quote
150-F970NBE	SMC Flex smart motor controller, 970 A, 200...460V AC, 3-phase, 110/120V AC control; max. 560 kW at 400/415V / 800 Hp at 460V	Request a Quote
150-F970NBEB	SMC Flex smart motor controller, 970 A, 200...460V AC, 3-phase, 110/120V AC control, Pump Control option; max. 560 kW at 400/415V / 800 Hp at 460V	Request a Quote
150-F970NZA	SMC Flex smart motor controller, 970 A, 230...690V AC, 3-phase, 230/240V AC control; max. 1000 kW at 690V / 1300 Hp at 600V	Request a Quote
150-F1250NBA	SMC Flex smart motor controller, 1250 A, 200...460V AC, 3-phase, 230/240V AC control; max. 710 kW at 400/415V / 1000 Hp at 460V	Request a Quote
150-F1250NBE	SMC Flex smart motor controller, 1250 A, 200...460V AC, 3-phase, 110/120V AC control; max. 710 kW at 400/415V / 1000 Hp at 460V	Request a Quote

ORDER NUMBER	DESCRIPTION	
150-F1250NBEB	SMC Flex smart motor controller, 1250 A, 200...460V AC, 3-phase, 110/120V AC control, Pump Control option; max. 710 kW at 400/415V / 1000 Hp at 460V	Request a Quote
150-F1250NZA	SMC Flex smart motor controller, 1250 A, 230...690V AC, 3-phase, 230/240V AC control; max. 1200 kW at 690V / 1600 Hp at 600V	Request a Quote

SMC-50 smart motor controllers (150-S)

ORDER NUMBER	DESCRIPTION	
150-S317NBD	SMC-50 controller with internal bypass, 317 A, 200...480V AC, 3-phase, 100...240V AC control; max. 160 kW at 400/415V / 250 Hp at 460V	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, SMC, SMC-3, SMC Flex, SMC-50, Accu-Stop, SMB and Rockwell Automation are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog number codes, ratings and specifications are taken from SMC-3, SMC Flex, and SMC-50 Smart Motor Controller Specifications Technical Data, Rockwell Automation publication 150-TD009D-EN-P (April 2025). They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.