

ABB ACS880-07 cabinet-built drives type code list

88 type codes for ABB ACS880-07 cabinet-built single drives, 45 to 2800 kW, for 400 V, 500 V and 690 V supplies, grouped by supply voltage and by 6-pulse or 12-pulse diode supply. ABB builds each drive to order in a cabinet with rectifier, DC link, inverter, fuses, line choke and main switch, IP22 as standard. In ABB's type code, option +A004 selects the 12-pulse diode supply; further options are added as plus codes (for example +D150 brake chopper). Ratings: nominal power, light-overload use and heavy-duty use as given by ABB, with IN the rated current available continuously without overload at 40 °C. Ask us for availability, lead time and price for any type code below.

6-pulse diode supply, UN = 400 V (range 380 to 415 V)

ORDER NUMBER	DESCRIPTION	
ACS880-07-0105A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R6; 55 kW nominal and light-overload rating, 45 kW heavy-duty rating; IN 105 A	Request a Quote
ACS880-07-0145A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R6; 75 kW nominal and light-overload rating, 55 kW heavy-duty rating; IN 145 A	Request a Quote
ACS880-07-0169A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R7; 90 kW nominal and light-overload rating, 75 kW heavy-duty rating; IN 169 A	Request a Quote
ACS880-07-0206A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R7; 110 kW nominal and light-overload rating, 90 kW heavy-duty rating; IN 206 A	Request a Quote
ACS880-07-0246A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R8; 132 kW nominal and light-overload rating, 110 kW heavy-duty rating; IN 246 A	Request a Quote
ACS880-07-0293A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R8; 160 kW nominal and light-overload rating, 132 kW heavy-duty rating; IN 293 A	Request a Quote
ACS880-07-0363A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R9; 200 kW nominal and light-overload rating, 160 kW heavy-duty rating; IN 363 A	Request a Quote
ACS880-07-0430A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R9; 250 kW nominal rating, 200 kW light-overload rating, 200 kW heavy-duty rating; IN 430 A	Request a Quote
ACS880-07-0505A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R10; 250 kW nominal and light-overload rating, 200 kW heavy-duty rating; IN 505 A	Request a Quote
ACS880-07-0585A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R10; 315 kW nominal and light-overload rating, 250 kW heavy-duty rating; IN 585 A	Request a Quote

ORDER NUMBER	DESCRIPTION	
ACS880-07-0650A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R10; 355 kW nominal and light-overload rating, 250 kW heavy-duty rating; IN 650 A	Request a Quote
ACS880-07-0725A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R11; 400 kW nominal and light-overload rating, 315 kW heavy-duty rating; IN 725 A	Request a Quote
ACS880-07-0820A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R11; 450 kW nominal and light-overload rating, 355 kW heavy-duty rating; IN 820 A	Request a Quote
ACS880-07-0880A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame R11; 500 kW nominal and light-overload rating, 400 kW heavy-duty rating; IN 880 A	Request a Quote
ACS880-07-1140A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame D8T + 2×R8i; 630 kW nominal rating, 560 kW light-overload rating, 450 kW heavy-duty rating; IN 1140 A	Request a Quote
ACS880-07-1250A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame 2×D8T + 2×R8i; 710 kW nominal rating, 630 kW light-overload rating, 500 kW heavy-duty rating; IN 1250 A	Request a Quote
ACS880-07-1480A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame 2×D8T + 2×R8i; 800 kW nominal and light-overload rating, 630 kW heavy-duty rating; IN 1480 A	Request a Quote
ACS880-07-1760A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame 2×D8T + 2×R8i; 1000 kW nominal rating, 900 kW light-overload rating, 710 kW heavy-duty rating; IN 1760 A	Request a Quote
ACS880-07-2210A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame 3×D8T + 3×R8i; 1200 kW nominal and light-overload rating, 900 kW heavy-duty rating; IN 2210 A	Request a Quote
ACS880-07-2610A-3	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 6-pulse diode supply, frame 3×D8T + 3×R8i; 1400 kW nominal and light-overload rating, 1000 kW heavy-duty rating; IN 2610 A	Request a Quote

12-pulse diode supply (+A004), UN = 400 V (range 380 to 415 V)

ORDER NUMBER	DESCRIPTION	
ACS880-07-0990A-3+A004	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 12-pulse diode supply (option +A004), frame 2×D7T + 2×R8i; 560 kW nominal rating, 500 kW light-overload rating, 400 kW heavy-duty rating; IN 990 A	Request a Quote
ACS880-07-1140A-3+A004	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 630 kW nominal rating, 560 kW light-overload rating, 450 kW heavy-duty rating; IN 1140 A	Request a Quote
ACS880-07-1250A-3+A004	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 710 kW nominal rating, 630 kW light-overload rating, 500 kW heavy-duty rating; IN 1250 A	Request a Quote

ORDER NUMBER	DESCRIPTION	
ACS880-07-1480A-3+A004	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 800 kW nominal and light-overload rating, 630 kW heavy-duty rating; IN 1480 A	Request a Quote
ACS880-07-1760A-3+A004	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 1000 kW nominal rating, 900 kW light-overload rating, 710 kW heavy-duty rating; IN 1760 A	Request a Quote
ACS880-07-2210A-3+A004	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 12-pulse diode supply (option +A004), frame 4×D8T + 3×R8i; 1200 kW nominal and light-overload rating, 900 kW heavy-duty rating; IN 2210 A	Request a Quote
ACS880-07-2610A-3+A004	ACS880-07 cabinet-built drive, 380–415 V three-phase (ratings at 400 V), 12-pulse diode supply (option +A004), frame 4×D8T + 3×R8i; 1400 kW nominal and light-overload rating, 1000 kW heavy-duty rating; IN 2610 A	Request a Quote

6-pulse diode supply, UN = 500 V (range 380 to 500 V)

ORDER NUMBER	DESCRIPTION	
ACS880-07-0096A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R6; 55 kW nominal and light-overload rating, 45 kW heavy-duty rating; IN 96 A	Request a Quote
ACS880-07-0124A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R6; 75 kW nominal and light-overload rating, 55 kW heavy-duty rating; IN 124 A	Request a Quote
ACS880-07-0156A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R7; 90 kW nominal and light-overload rating, 75 kW heavy-duty rating; IN 156 A	Request a Quote
ACS880-07-0180A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R7; 110 kW nominal and light-overload rating, 90 kW heavy-duty rating; IN 180 A	Request a Quote
ACS880-07-0240A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R8; 132 kW nominal and light-overload rating, 110 kW heavy-duty rating; IN 240 A	Request a Quote
ACS880-07-0260A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R8; 160 kW nominal and light-overload rating, 132 kW heavy-duty rating; IN 260 A	Request a Quote
ACS880-07-0361A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R9; 200 kW nominal and light-overload rating, 200 kW heavy-duty rating; IN 361 A	Request a Quote
ACS880-07-0414A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R9; 250 kW nominal and light-overload rating, 200 kW heavy-duty rating; IN 414 A	Request a Quote

ORDER NUMBER	DESCRIPTION	
ACS880-07-0460A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R10; 315 kW nominal and light-overload rating, 200 kW heavy-duty rating; IN 460 A	Request a Quote
ACS880-07-0503A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R10; 355 kW nominal rating, 315 kW light-overload rating, 250 kW heavy-duty rating; IN 503 A	Request a Quote
ACS880-07-0583A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R10; 400 kW nominal and light-overload rating, 250 kW heavy-duty rating; IN 583 A	Request a Quote
ACS880-07-0635A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R10; 450 kW nominal and light-overload rating, 315 kW heavy-duty rating; IN 635 A	Request a Quote
ACS880-07-0715A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R11; 500 kW nominal and light-overload rating, 400 kW heavy-duty rating; IN 715 A	Request a Quote
ACS880-07-0820A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R11; 560 kW nominal and light-overload rating, 450 kW heavy-duty rating; IN 820 A	Request a Quote
ACS880-07-0880A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame R11; 630 kW nominal rating, 560 kW light-overload rating, 500 kW heavy-duty rating; IN 880 A	Request a Quote
ACS880-07-1070A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame D8T + 2×R8i; 710 kW nominal and light-overload rating, 560 kW heavy-duty rating; IN 1070 A	Request a Quote
ACS880-07-1320A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame 2×D8T + 2×R8i; 900 kW nominal and light-overload rating, 710 kW heavy-duty rating; IN 1320 A	Request a Quote
ACS880-07-1450A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame 2×D8T + 2×R8i; 1000 kW nominal rating, 900 kW light-overload rating, 710 kW heavy-duty rating; IN 1450 A	Request a Quote
ACS880-07-1580A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame 2×D8T + 2×R8i; 1100 kW nominal rating, 1000 kW light-overload rating, 800 kW heavy-duty rating; IN 1580 A	Request a Quote
ACS880-07-1800A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame 2×D8T + 3×R8i; 1250 kW nominal rating, 1200 kW light-overload rating, 900 kW heavy-duty rating; IN 1800 A	Request a Quote
ACS880-07-1980A-5	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 6-pulse diode supply, frame 2×D8T + 3×R8i; 1400 kW nominal rating, 1300 kW light-overload rating, 1000 kW heavy-duty rating; IN 1980 A	Request a Quote

12-pulse diode supply (+A004), UN = 500 V (range 380 to 500 V)

ORDER NUMBER	DESCRIPTION	
ACS880-07-0990A-5+A004	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 12-pulse diode supply (option +A004), frame 2×D7T + 2×R8i; 710 kW nominal rating, 630 kW light-overload rating, 500 kW heavy-duty rating; IN 990 A	Request a Quote
ACS880-07-1320A-5+A004	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 900 kW nominal and light-overload rating, 710 kW heavy-duty rating; IN 1320 A	Request a Quote
ACS880-07-1450A-5+A004	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 1000 kW nominal rating, 900 kW light-overload rating, 710 kW heavy-duty rating; IN 1450 A	Request a Quote
ACS880-07-1580A-5+A004	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 1100 kW nominal rating, 1000 kW light-overload rating, 800 kW heavy-duty rating; IN 1580 A	Request a Quote
ACS880-07-1800A-5+A004	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 12-pulse diode supply (option +A004), frame 2×D8T + 3×R8i; 1250 kW nominal rating, 1200 kW light-overload rating, 900 kW heavy-duty rating; IN 1800 A	Request a Quote
ACS880-07-1980A-5+A004	ACS880-07 cabinet-built drive, 380–500 V three-phase (ratings at 500 V), 12-pulse diode supply (option +A004), frame 2×D8T + 3×R8i; 1400 kW nominal rating, 1300 kW light-overload rating, 1000 kW heavy-duty rating; IN 1980 A	Request a Quote

6-pulse diode supply, UN = 690 V (range 525 to 690 V)

ORDER NUMBER	DESCRIPTION	
ACS880-07-0061A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R6; 55 kW nominal and light-overload rating, 45 kW heavy-duty rating; IN 61 A	Request a Quote
ACS880-07-0084A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R6; 75 kW nominal and light-overload rating, 55 kW heavy-duty rating; IN 84 A	Request a Quote
ACS880-07-0098A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R7; 90 kW nominal and light-overload rating, 75 kW heavy-duty rating; IN 98 A	Request a Quote
ACS880-07-0119A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R7; 110 kW nominal and light-overload rating, 90 kW heavy-duty rating; IN 119 A	Request a Quote
ACS880-07-0142A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R8; 132 kW nominal and light-overload rating, 110 kW heavy-duty rating; IN 142 A	Request a Quote

ORDER NUMBER	DESCRIPTION	
ACS880-07-0174A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R8; 160 kW nominal and light-overload rating, 132 kW heavy-duty rating; IN 174 A	Request a Quote
ACS880-07-0210A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R9; 200 kW nominal and light-overload rating, 160 kW heavy-duty rating; IN 210 A	Request a Quote
ACS880-07-0271A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R9; 250 kW nominal and light-overload rating, 200 kW heavy-duty rating; IN 271 A	Request a Quote
ACS880-07-0330A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R10; 315 kW nominal and light-overload rating, 250 kW heavy-duty rating; IN 330 A	Request a Quote
ACS880-07-0370A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R10; 355 kW nominal and light-overload rating, 315 kW heavy-duty rating; IN 370 A	Request a Quote
ACS880-07-0430A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R10; 400 kW nominal and light-overload rating, 355 kW heavy-duty rating; IN 430 A	Request a Quote
ACS880-07-0470A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R11; 450 kW nominal and light-overload rating, 400 kW heavy-duty rating; IN 470 A	Request a Quote
ACS880-07-0522A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R11; 500 kW nominal and light-overload rating, 450 kW heavy-duty rating; IN 522 A	Request a Quote
ACS880-07-0590A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R11; 560 kW nominal and light-overload rating, 500 kW heavy-duty rating; IN 590 A	Request a Quote
ACS880-07-0650A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R11; 630 kW nominal and light-overload rating, 560 kW heavy-duty rating; IN 650 A	Request a Quote
ACS880-07-0721A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame R11; 710 kW nominal rating, 630 kW light-overload rating, 560 kW heavy-duty rating; IN 721 A	Request a Quote
ACS880-07-0800A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame D8T + 2×R8i; 800 kW nominal rating, 710 kW light-overload rating, 560 kW heavy-duty rating; IN 800 A	Request a Quote
ACS880-07-0900A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame D8T + 2×R8i; 900 kW nominal rating, 800 kW light-overload rating, 630 kW heavy-duty rating; IN 900 A	Request a Quote
ACS880-07-1160A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame 2×D8T + 2×R8i; 1100 kW nominal and light-overload rating, 800 kW heavy-duty rating; IN 1160 A	Request a Quote
ACS880-07-1450A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame 2×D8T + 3×R8i; 1400 kW nominal rating, 1250 kW light-overload rating, 1000 kW heavy-duty rating; IN 1450 A	Request a Quote

ORDER NUMBER	DESCRIPTION	
ACS880-07-1650A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame 2×D8T + 3×R8i; 1600 kW nominal rating, 1500 kW light-overload rating, 1200 kW heavy-duty rating; IN 1650 A	Request a Quote
ACS880-07-1950A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame 3×D8T + 4×R8i; 1900 kW nominal rating, 1800 kW light-overload rating, 1400 kW heavy-duty rating; IN 1950 A	Request a Quote
ACS880-07-2300A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame 3×D8T + 4×R8i; 2200 kW nominal rating, 2000 kW light-overload rating, 1600 kW heavy-duty rating; IN 2300 A	Request a Quote
ACS880-07-2600A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame 4×D8T + 5×R8i; 2500 kW nominal rating, 2400 kW light-overload rating, 1900 kW heavy-duty rating; IN 2600 A	Request a Quote
ACS880-07-2860A-7	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 6-pulse diode supply, frame 4×D8T + 5×R8i; 2800 kW nominal rating, 2600 kW light-overload rating, 2000 kW heavy-duty rating; IN 2860 A	Request a Quote

12-pulse diode supply (+A004), UN = 690 V (range 525 to 690 V)

ORDER NUMBER	DESCRIPTION	
ACS880-07-0800A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 2×D7T + 2×R8i; 800 kW nominal rating, 710 kW light-overload rating, 560 kW heavy-duty rating; IN 800 A	Request a Quote
ACS880-07-0950A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 900 kW nominal rating, 800 kW light-overload rating, 630 kW heavy-duty rating; IN 950 A	Request a Quote
ACS880-07-1160A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 2×D8T + 2×R8i; 1100 kW nominal and light-overload rating, 800 kW heavy-duty rating; IN 1160 A	Request a Quote
ACS880-07-1450A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 2×D8T + 3×R8i; 1400 kW nominal rating, 1250 kW light-overload rating, 1000 kW heavy-duty rating; IN 1450 A	Request a Quote
ACS880-07-1650A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 2×D8T + 3×R8i; 1600 kW nominal rating, 1500 kW light-overload rating, 1200 kW heavy-duty rating; IN 1650 A	Request a Quote
ACS880-07-1950A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 4×D8T + 4×R8i; 1900 kW nominal rating, 1800 kW light-overload rating, 1400 kW heavy-duty rating; IN 1950 A	Request a Quote
ACS880-07-2300A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 4×D8T + 4×R8i; 2200 kW nominal rating, 2000 kW light-overload rating, 1600 kW heavy-duty rating; IN 2300 A	Request a Quote

ORDER NUMBER	DESCRIPTION	
ACS880-07-2600A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 4×D8T + 5×R8i; 2500 kW nominal rating, 2400 kW light-overload rating, 1900 kW heavy-duty rating; IN 2600 A	Request a Quote
ACS880-07-2860A-7+A004	ACS880-07 cabinet-built drive, 525–690 V three-phase (ratings at 690 V), 12-pulse diode supply (option +A004), frame 4×D8T + 5×R8i; 2800 kW nominal rating, 2600 kW light-overload rating, 2000 kW heavy-duty rating; IN 2860 A	Request a Quote

Prepared by GEARWELL, 2026-10-14. ABB is a trademark of ABB Ltd. GEARWELL is an independent supplier and is not affiliated with or authorized by ABB. Type codes and ratings are taken from the ABB catalog ABB industrial drives, ACS880 single drives (3AUA0000098111 Rev U, 7.8.2026), Ratings, types and voltages, cabinet-built drives ACS880-07, pages 19 to 21. They are given for identification; confirm the exact type code, including plus codes, with the nameplate before ordering. Official documentation: library.abb.com.