

ABB S200 and S200M miniature circuit breakers, C characteristic

135 type codes and ABB order codes for System pro M compact S200 (rated short-circuit capacity Icn 6 kA) and S200M (Icn 10 kA) miniature circuit breakers with C tripping characteristic, 1 to 4 poles, 0.5 to 63 A. ABB lists them to IEC/EN 60898-1 and IEC/EN 60947-2 for protection of circuits against overloads and short circuits, for resistive and inductive loads with low inrush current, in residential, commercial and industrial installations. The type code gives the series and number of poles (S201 = 1 pole, S204 = 4 poles; M = S200M), the characteristic and the rated current in A; the 2CDS order code identifies the same product. Ask us for availability, lead time and price for any item below.

S201, 1-pole, S200 series, Icn 6 kA

ORDER NUMBER	DESCRIPTION	
S201-C0.5	1-pole miniature circuit breaker, C characteristic, rated current 0.5 A, Icn 6 kA; ABB order code 2CDS251001R0984	Request a Quote
S201-C1	1-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 6 kA; ABB order code 2CDS251001R0014	Request a Quote
S201-C1.6	1-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 6 kA; ABB order code 2CDS251001R0974	Request a Quote
S201-C2	1-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 6 kA; ABB order code 2CDS251001R0024	Request a Quote
S201-C3	1-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 6 kA; ABB order code 2CDS251001R0034	Request a Quote
S201-C4	1-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 6 kA; ABB order code 2CDS251001R0044	Request a Quote
S201-C6	1-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 6 kA; ABB order code 2CDS251001R0064	Request a Quote
S201-C8	1-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 6 kA; ABB order code 2CDS251001R0084	Request a Quote
S201-C10	1-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 6 kA; ABB order code 2CDS251001R0104	Request a Quote
S201-C13	1-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 6 kA; ABB order code 2CDS251001R0134	Request a Quote
S201-C16	1-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 6 kA; ABB order code 2CDS251001R0164	Request a Quote
S201-C20	1-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 6 kA; ABB order code 2CDS251001R0204	Request a Quote
S201-C25	1-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 6 kA; ABB order code 2CDS251001R0254	Request a Quote
S201-C32	1-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 6 kA; ABB order code 2CDS251001R0324	Request a Quote

ORDER NUMBER	DESCRIPTION	
S201 - C40	1-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 6 kA; ABB order code 2CDS251001R0404	Request a Quote
S201 - C50	1-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 6 kA; ABB order code 2CDS251001R0504	Request a Quote
S201 - C63	1-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 6 kA; ABB order code 2CDS251001R0634	Request a Quote

S202, 2-pole, S200 series, Icn 6 kA

ORDER NUMBER	DESCRIPTION	
S202 - C0.5	2-pole miniature circuit breaker, C characteristic, rated current 0.5 A, Icn 6 kA; ABB order code 2CDS252001R0984	Request a Quote
S202 - C1	2-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 6 kA; ABB order code 2CDS252001R0014	Request a Quote
S202 - C1.6	2-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 6 kA; ABB order code 2CDS252001R0974	Request a Quote
S202 - C2	2-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 6 kA; ABB order code 2CDS252001R0024	Request a Quote
S202 - C3	2-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 6 kA; ABB order code 2CDS252001R0034	Request a Quote
S202 - C4	2-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 6 kA; ABB order code 2CDS252001R0044	Request a Quote
S202 - C6	2-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 6 kA; ABB order code 2CDS252001R0064	Request a Quote
S202 - C8	2-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 6 kA; ABB order code 2CDS252001R0084	Request a Quote
S202 - C10	2-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 6 kA; ABB order code 2CDS252001R0104	Request a Quote
S202 - C13	2-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 6 kA; ABB order code 2CDS252001R0134	Request a Quote
S202 - C16	2-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 6 kA; ABB order code 2CDS252001R0164	Request a Quote
S202 - C20	2-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 6 kA; ABB order code 2CDS252001R0204	Request a Quote
S202 - C25	2-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 6 kA; ABB order code 2CDS252001R0254	Request a Quote
S202 - C32	2-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 6 kA; ABB order code 2CDS252001R0324	Request a Quote
S202 - C40	2-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 6 kA; ABB order code 2CDS252001R0404	Request a Quote
S202 - C50	2-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 6 kA; ABB order code 2CDS252001R0504	Request a Quote

ORDER NUMBER	DESCRIPTION	
S202 - C63	2-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 6 kA; ABB order code 2CDS252001R0634	Request a Quote

S203, 3-pole, S200 series, Icn 6 kA

ORDER NUMBER	DESCRIPTION	
S203 - C1	3-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 6 kA; ABB order code 2CDS253001R0014	Request a Quote
S203 - C1.6	3-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 6 kA; ABB order code 2CDS253001R0974	Request a Quote
S203 - C2	3-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 6 kA; ABB order code 2CDS253001R0024	Request a Quote
S203 - C3	3-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 6 kA; ABB order code 2CDS253001R0034	Request a Quote
S203 - C4	3-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 6 kA; ABB order code 2CDS253001R0044	Request a Quote
S203 - C6	3-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 6 kA; ABB order code 2CDS253001R0064	Request a Quote
S203 - C8	3-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 6 kA; ABB order code 2CDS253001R0084	Request a Quote
S203 - C10	3-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 6 kA; ABB order code 2CDS253001R0104	Request a Quote
S203 - C13	3-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 6 kA; ABB order code 2CDS253001R0134	Request a Quote
S203 - C16	3-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 6 kA; ABB order code 2CDS253001R0164	Request a Quote
S203 - C20	3-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 6 kA; ABB order code 2CDS253001R0204	Request a Quote
S203 - C25	3-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 6 kA; ABB order code 2CDS253001R0254	Request a Quote
S203 - C32	3-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 6 kA; ABB order code 2CDS253001R0324	Request a Quote
S203 - C40	3-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 6 kA; ABB order code 2CDS253001R0404	Request a Quote
S203 - C50	3-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 6 kA; ABB order code 2CDS253001R0504	Request a Quote
S203 - C63	3-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 6 kA; ABB order code 2CDS253001R0634	Request a Quote

S204, 4-pole, S200 series, Icn 6 kA

ORDER NUMBER	DESCRIPTION	
S204 - C0.5	4-pole miniature circuit breaker, C characteristic, rated current 0.5 A, Icn 6 kA; ABB order code 2CDS254001R0984	Request a Quote

ORDER NUMBER	DESCRIPTION	
S204 - C1	4-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 6 kA; ABB order code 2CDS254001R0014	Request a Quote
S204 - C1.6	4-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 6 kA; ABB order code 2CDS254001R0974	Request a Quote
S204 - C2	4-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 6 kA; ABB order code 2CDS254001R0024	Request a Quote
S204 - C3	4-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 6 kA; ABB order code 2CDS254001R0034	Request a Quote
S204 - C4	4-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 6 kA; ABB order code 2CDS254001R0044	Request a Quote
S204 - C6	4-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 6 kA; ABB order code 2CDS254001R0064	Request a Quote
S204 - C8	4-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 6 kA; ABB order code 2CDS254001R0084	Request a Quote
S204 - C10	4-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 6 kA; ABB order code 2CDS254001R0104	Request a Quote
S204 - C13	4-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 6 kA; ABB order code 2CDS254001R0134	Request a Quote
S204 - C16	4-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 6 kA; ABB order code 2CDS254001R0164	Request a Quote
S204 - C20	4-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 6 kA; ABB order code 2CDS254001R0204	Request a Quote
S204 - C25	4-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 6 kA; ABB order code 2CDS254001R0254	Request a Quote
S204 - C32	4-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 6 kA; ABB order code 2CDS254001R0324	Request a Quote
S204 - C40	4-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 6 kA; ABB order code 2CDS254001R0404	Request a Quote
S204 - C50	4-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 6 kA; ABB order code 2CDS254001R0504	Request a Quote
S204 - C63	4-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 6 kA; ABB order code 2CDS254001R0634	Request a Quote

S201M, 1-pole, S200M series, Icn 10 kA

ORDER NUMBER	DESCRIPTION	
S201M - C0.5	1-pole miniature circuit breaker, C characteristic, rated current 0.5 A, Icn 10 kA; ABB order code 2CDS271001R0984	Request a Quote
S201M - C1	1-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 10 kA; ABB order code 2CDS271001R0014	Request a Quote
S201M - C1.6	1-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 10 kA; ABB order code 2CDS271001R0974	Request a Quote

ORDER NUMBER	DESCRIPTION	
S201M-C2	1-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 10 kA; ABB order code 2CDS271001R0024	Request a Quote
S201M-C3	1-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 10 kA; ABB order code 2CDS271001R0034	Request a Quote
S201M-C4	1-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 10 kA; ABB order code 2CDS271001R0044	Request a Quote
S201M-C6	1-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 10 kA; ABB order code 2CDS271001R0064	Request a Quote
S201M-C8	1-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 10 kA; ABB order code 2CDS271001R0084	Request a Quote
S201M-C10	1-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 10 kA; ABB order code 2CDS271001R0104	Request a Quote
S201M-C13	1-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 10 kA; ABB order code 2CDS271001R0134	Request a Quote
S201M-C16	1-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 10 kA; ABB order code 2CDS271001R0164	Request a Quote
S201M-C20	1-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 10 kA; ABB order code 2CDS271001R0204	Request a Quote
S201M-C25	1-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 10 kA; ABB order code 2CDS271001R0254	Request a Quote
S201M-C32	1-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 10 kA; ABB order code 2CDS271001R0324	Request a Quote
S201M-C40	1-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 10 kA; ABB order code 2CDS271001R0404	Request a Quote
S201M-C50	1-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 10 kA; ABB order code 2CDS271001R0504	Request a Quote
S201M-C63	1-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 10 kA; ABB order code 2CDS271001R0634	Request a Quote

S202M, 2-pole, S200M series, Icn 10 kA

ORDER NUMBER	DESCRIPTION	
S202M-C0.5	2-pole miniature circuit breaker, C characteristic, rated current 0.5 A, Icn 10 kA; ABB order code 2CDS272001R0984	Request a Quote
S202M-C1	2-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 10 kA; ABB order code 2CDS272001R0014	Request a Quote
S202M-C1.6	2-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 10 kA; ABB order code 2CDS272001R0974	Request a Quote
S202M-C2	2-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 10 kA; ABB order code 2CDS272001R0024	Request a Quote
S202M-C3	2-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 10 kA; ABB order code 2CDS272001R0034	Request a Quote

ORDER NUMBER	DESCRIPTION	
S202M-C4	2-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 10 kA; ABB order code 2CDS272001R0044	Request a Quote
S202M-C6	2-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 10 kA; ABB order code 2CDS272001R0064	Request a Quote
S202M-C8	2-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 10 kA; ABB order code 2CDS272001R0084	Request a Quote
S202M-C10	2-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 10 kA; ABB order code 2CDS272001R0104	Request a Quote
S202M-C13	2-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 10 kA; ABB order code 2CDS272001R0134	Request a Quote
S202M-C16	2-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 10 kA; ABB order code 2CDS272001R0164	Request a Quote
S202M-C20	2-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 10 kA; ABB order code 2CDS272001R0204	Request a Quote
S202M-C25	2-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 10 kA; ABB order code 2CDS272001R0254	Request a Quote
S202M-C32	2-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 10 kA; ABB order code 2CDS272001R0324	Request a Quote
S202M-C40	2-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 10 kA; ABB order code 2CDS272001R0404	Request a Quote
S202M-C50	2-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 10 kA; ABB order code 2CDS272001R0504	Request a Quote
S202M-C63	2-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 10 kA; ABB order code 2CDS272001R0634	Request a Quote

S203M, 3-pole, S200M series, Icn 10 kA

ORDER NUMBER	DESCRIPTION	
S203M-C0.5	3-pole miniature circuit breaker, C characteristic, rated current 0.5 A, Icn 10 kA; ABB order code 2CDS273001R0984	Request a Quote
S203M-C1	3-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 10 kA; ABB order code 2CDS273001R0014	Request a Quote
S203M-C1.6	3-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 10 kA; ABB order code 2CDS273001R0974	Request a Quote
S203M-C2	3-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 10 kA; ABB order code 2CDS273001R0024	Request a Quote
S203M-C3	3-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 10 kA; ABB order code 2CDS273001R0034	Request a Quote
S203M-C4	3-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 10 kA; ABB order code 2CDS273001R0044	Request a Quote
S203M-C6	3-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 10 kA; ABB order code 2CDS273001R0064	Request a Quote

ORDER NUMBER	DESCRIPTION	
S203M-C8	3-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 10 kA; ABB order code 2CDS273001R0084	Request a Quote
S203M-C10	3-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 10 kA; ABB order code 2CDS273001R0104	Request a Quote
S203M-C13	3-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 10 kA; ABB order code 2CDS273001R0134	Request a Quote
S203M-C16	3-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 10 kA; ABB order code 2CDS273001R0164	Request a Quote
S203M-C20	3-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 10 kA; ABB order code 2CDS273001R0204	Request a Quote
S203M-C25	3-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 10 kA; ABB order code 2CDS273001R0254	Request a Quote
S203M-C32	3-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 10 kA; ABB order code 2CDS273001R0324	Request a Quote
S203M-C40	3-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 10 kA; ABB order code 2CDS273001R0404	Request a Quote
S203M-C50	3-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 10 kA; ABB order code 2CDS273001R0504	Request a Quote
S203M-C63	3-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 10 kA; ABB order code 2CDS273001R0634	Request a Quote

S204M, 4-pole, S200M series, Icn 10 kA

ORDER NUMBER	DESCRIPTION	
S204M-C0.5	4-pole miniature circuit breaker, C characteristic, rated current 0.5 A, Icn 10 kA; ABB order code 2CDS274001R0984	Request a Quote
S204M-C1	4-pole miniature circuit breaker, C characteristic, rated current 1 A, Icn 10 kA; ABB order code 2CDS274001R0014	Request a Quote
S204M-C1.6	4-pole miniature circuit breaker, C characteristic, rated current 1.6 A, Icn 10 kA; ABB order code 2CDS274001R0974	Request a Quote
S204M-C2	4-pole miniature circuit breaker, C characteristic, rated current 2 A, Icn 10 kA; ABB order code 2CDS274001R0024	Request a Quote
S204M-C3	4-pole miniature circuit breaker, C characteristic, rated current 3 A, Icn 10 kA; ABB order code 2CDS274001R0034	Request a Quote
S204M-C4	4-pole miniature circuit breaker, C characteristic, rated current 4 A, Icn 10 kA; ABB order code 2CDS274001R0044	Request a Quote
S204M-C6	4-pole miniature circuit breaker, C characteristic, rated current 6 A, Icn 10 kA; ABB order code 2CDS274001R0064	Request a Quote
S204M-C8	4-pole miniature circuit breaker, C characteristic, rated current 8 A, Icn 10 kA; ABB order code 2CDS274001R0084	Request a Quote
S204M-C10	4-pole miniature circuit breaker, C characteristic, rated current 10 A, Icn 10 kA; ABB order code 2CDS274001R0104	Request a Quote

ORDER NUMBER	DESCRIPTION	
S204M-C13	4-pole miniature circuit breaker, C characteristic, rated current 13 A, Icn 10 kA; ABB order code 2CDS274001R0134	Request a Quote
S204M-C16	4-pole miniature circuit breaker, C characteristic, rated current 16 A, Icn 10 kA; ABB order code 2CDS274001R0164	Request a Quote
S204M-C20	4-pole miniature circuit breaker, C characteristic, rated current 20 A, Icn 10 kA; ABB order code 2CDS274001R0204	Request a Quote
S204M-C25	4-pole miniature circuit breaker, C characteristic, rated current 25 A, Icn 10 kA; ABB order code 2CDS274001R0254	Request a Quote
S204M-C32	4-pole miniature circuit breaker, C characteristic, rated current 32 A, Icn 10 kA; ABB order code 2CDS274001R0324	Request a Quote
S204M-C40	4-pole miniature circuit breaker, C characteristic, rated current 40 A, Icn 10 kA; ABB order code 2CDS274001R0404	Request a Quote
S204M-C50	4-pole miniature circuit breaker, C characteristic, rated current 50 A, Icn 10 kA; ABB order code 2CDS274001R0504	Request a Quote
S204M-C63	4-pole miniature circuit breaker, C characteristic, rated current 63 A, Icn 10 kA; ABB order code 2CDS274001R0634	Request a Quote

Prepared by GEARWELL, 2026-10-14. ABB and System pro M compact are trademarks of ABB. GEARWELL is an independent supplier and is not affiliated with or authorized by ABB. Type codes, order codes, rated currents and Icn values are taken from the ABB System pro M compact technical catalogue 2CSC400002D0211 (03/2014), pages 50, 51, 64 and 65, where the type codes are printed with spaces (for example S 201 M-C 16). They are given for identification; confirm the order code with ABB documentation or the product label before ordering. Official documentation: library.abb.com.