

Micro800 2080 catalog number list

48 catalog numbers for Allen-Bradley Micro800 (2080) controllers (Micro810, Micro820, Micro830, Micro850 and Micro870), plug-in modules and accessories, with the key data from the official Rockwell selection guide and user manuals. In the controller catalog number, Q, A and D give the input type, W, B and V the output type (relay, 24V DC source, 24V DC sink), N adds DNP3 and K marks the conformally coated version. Ask us for availability, lead time and price for any item below.

Micro810 controllers

ORDER NUMBER	DESCRIPTION	
2080-LC10-12DWD	Micro810, 12V DC power, 8 DC inputs (4 usable as 0...10V analog), 4 relay outputs	Request a Quote
2080-LC10-12QWB	Micro810, 24V DC power, 8 DC inputs (4 usable as 0...10V analog), 4 relay outputs	Request a Quote

Micro820 controllers

ORDER NUMBER	DESCRIPTION	
2080-LC20-20AWB	Micro820, 8 AC inputs + 4 DC inputs, 7 relay outputs, 1 analog output	Request a Quote
2080-LC20-20QBB	Micro820, 12 DC inputs, 7 source outputs (1 PWM), 1 analog output	Request a Quote
2080-LC20-20QWBR	Micro820, 12 DC inputs, 7 relay outputs, 1 analog output, removable terminal blocks	Request a Quote

Micro830 controllers

ORDER NUMBER	DESCRIPTION	
2080-LC30-16AWB	Micro830, 10 AC inputs, 6 relay outputs, 2 plug-in slots	Request a Quote
2080-LC30-16QVB	Micro830, 10 DC inputs, 6 sink outputs, 1 PTO, 2 HSC	Request a Quote
2080-LC30-16QWB	Micro830, 10 DC inputs, 6 relay outputs, 2 HSC	Request a Quote
2080-LC30-24QBB	Micro830, 14 DC inputs, 10 source outputs, 2 PTO, 4 HSC	Request a Quote
2080-LC30-24QVB	Micro830, 14 DC inputs, 10 sink outputs, 2 PTO, 4 HSC	Request a Quote
2080-LC30-24QWB	Micro830, 14 DC inputs, 10 relay outputs, 4 HSC	Request a Quote
2080-LC30-48QBB	Micro830, 28 DC inputs, 20 source outputs, 3 PTO, 6 HSC	Request a Quote
2080-LC30-48QWB	Micro830, 28 DC inputs, 20 relay outputs, 6 HSC	Request a Quote

Micro850 controllers

ORDER NUMBER	DESCRIPTION	
2080-L50E-24QBB	Micro850 (L50E), 14 DC inputs, 10 source outputs, 2 PTO, 4 HSC, Ethernet	Request a Quote
2080-L50E-48QWB	Micro850 (L50E), 28 DC inputs, 20 relay outputs, 6 HSC, Ethernet	Request a Quote
2080-LC50-24QBB	Micro850, 14 DC inputs, 10 source outputs, 2 PTO, 4 HSC, Ethernet	Request a Quote

ORDER NUMBER	DESCRIPTION	
2080-LC50-24QVB	Micro850, 14 DC inputs, 10 sink outputs, 2 PTO, 4 HSC, Ethernet	Request a Quote
2080-LC50-24QWB	Micro850, 14 DC inputs, 10 relay outputs, 4 HSC, Ethernet	Request a Quote
2080-LC50-48AWB	Micro850, 28 AC inputs, 20 relay outputs, Ethernet	Request a Quote
2080-LC50-48QBB	Micro850, 28 DC inputs, 20 source outputs, 3 PTO, 6 HSC, Ethernet	Request a Quote
2080-LC50-48QWB	Micro850, 28 DC inputs, 20 relay outputs, 6 HSC, Ethernet	Request a Quote
2080-LC50-48QWBK	Micro850, 28 DC inputs, 20 relay outputs, 6 HSC, Ethernet; conformal coated	Request a Quote

Micro870 controllers

ORDER NUMBER	DESCRIPTION	
2080-L70E-24AWB	Micro870 (L70E), 14 AC inputs, 10 relay outputs, Ethernet	Request a Quote
2080-L70E-24QBB	Micro870 (L70E), 14 DC inputs, 10 source outputs, 2 PTO, 4 HSC, Ethernet	Request a Quote
2080-L70E-24QBBN	Micro870 (L70E) with DNP3, 14 DC inputs, 10 source outputs, 2 PTO, 4 HSC	Request a Quote
2080-L70E-24QWB	Micro870 (L70E), 14 DC inputs, 10 relay outputs, 4 HSC, Ethernet	Request a Quote
2080-LC70-24AWB	Micro870, 14 AC inputs, 10 relay outputs, Ethernet	Request a Quote
2080-LC70-24QBB	Micro870, 14 DC inputs, 10 source outputs, 2 PTO, 4 HSC, Ethernet	Request a Quote
2080-LC70-24QWB	Micro870, 14 DC inputs, 10 relay outputs, 4 HSC, Ethernet	Request a Quote

Plug-in I/O modules

ORDER NUMBER	DESCRIPTION	
2080-IF2	Plug-in, 2 analog inputs, 0...10V / 0...20 mA, 12 bit	Request a Quote
2080-IF4	Plug-in, 4 analog inputs, 0...10V / 0...20 mA, 12 bit	Request a Quote
2080-IQ4	Plug-in, 4 inputs, 12/24V DC sink/source	Request a Quote
2080-IQ40B4	Plug-in, 4 inputs 12/24V DC + 4 source outputs 12/24V DC	Request a Quote
2080-OB4	Plug-in, 4 source outputs, 12/24V DC	Request a Quote
2080-OF2	Plug-in, 2 analog outputs, 0...10V / 0...20 mA, 12 bit	Request a Quote
2080-OV4	Plug-in, 4 sink outputs, 12/24V DC	Request a Quote
2080-OW4I	Plug-in, 4 relay outputs, AC/DC	Request a Quote
2080-RTD2	Plug-in, 2 RTD inputs, 11 sensor types, 2- or 3-wire	Request a Quote
2080-TC2	Plug-in, 2 thermocouple inputs (B, E, J, K, N, R, S, T)	Request a Quote

Specialty and communication plug-ins

ORDER NUMBER	DESCRIPTION	
2080-MEMBAK-RTC	Plug-in, memory backup (1 MB) and high-accuracy real-time clock	Request a Quote
2080-MEMBAK-RTC2	Plug-in, memory backup (4 MB) and high-accuracy real-time clock	Request a Quote

ORDER NUMBER	DESCRIPTION	
2080-M0T-HSC	Plug-in, high-speed counter up to 250 kHz, A/B/Z, 5V differential or 12/24V	Request a Quote
2080-SERIALISOL	Plug-in, isolated RS-232/RS-485 serial port	Request a Quote
2080-SERIALISOLK	Plug-in, isolated RS-232/RS-485 serial port; conformal coated	Request a Quote
2080-TRIMPOT6	Plug-in, 6-channel trim potentiometer analog input	Request a Quote

Accessories

ORDER NUMBER	DESCRIPTION	
2080-REMLCD	Remote LCD with RS-232 and USB ports, IP65 text display	Request a Quote
2080-SD-2GB	2 GB microSD card for Micro820	Request a Quote
2080-USBADAPTER	USB adapter for Micro810 programming	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, Micro800, Micro810, Micro820, Micro830, Micro850, Micro870 and Connected Components Workbench are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog numbers, ratings and specifications are taken from Micro800 Programmable Controller Family Selection Guide, Rockwell Automation publication 2080-SG001J-EN-P (September 2025); Micro830, Micro850, and Micro870 Programmable Controllers User Manual, Rockwell Automation publication 2080-UM002S-EN-E (April 2026); Micro800 Plug-in Modules User Manual, Rockwell Automation publication 2080-UM004F-EN-E (February 2026). They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.