

Allen-Bradley PanelView Plus 7 terminals catalog number list

91 catalog numbers for Allen-Bradley PanelView Plus 7 operator terminals: Standard (2711P-...D8S), Performance (2711P-...D9P and the discontinued AC-powered 2711P-...A9P) and ArmorView Plus 7 (2711P-T12W22D9P-BMxxx). In the catalog number, T = touch and B = touch with keypad, the number gives the display size and W marks the widescreen 4.3-in., 9-in. and 12.1-in. sizes; on Standard terminals 21 = one Ethernet port and 22 = two Ethernet ports. Suffix K = conformal coated, -B = brandless (no Allen-Bradley marking), -BSHK = conformal coated and brandless with a stainless steel 316 bezel. All terminals run FactoryTalk View Machine Edition applications. Ask us for availability, lead time and price for any terminal below.

PanelView Plus 7 Standard

ORDER NUMBER	DESCRIPTION	
2711P-T4W21D8S	4.3-in. widescreen touch, 480 x 272 WQVGA; one Ethernet port with IEEE 1588; 24V DC	Request a Quote
2711P-T4W21D8S-B	4.3-in. widescreen touch, 480 x 272 WQVGA; one Ethernet port with IEEE 1588; 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T4W22D8S	4.3-in. widescreen touch, 480 x 272 WQVGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T4W22D8S-B	4.3-in. widescreen touch, 480 x 272 WQVGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T6C21D8S	5.7-in. touch, 640 x 480 VGA; one Ethernet port with IEEE 1588; 24V DC	Request a Quote
2711P-T6C21D8S-B	5.7-in. touch, 640 x 480 VGA; one Ethernet port with IEEE 1588; 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T6C22D8S	5.7-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T6C22D8S-B	5.7-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T7C21D8S	6.5-in. touch, 640 x 480 VGA; one Ethernet port with IEEE 1588; 24V DC	Request a Quote
2711P-T7C21D8S-B	6.5-in. touch, 640 x 480 VGA; one Ethernet port with IEEE 1588; 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T7C22D8S	6.5-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T7C22D8S-B	6.5-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T9W21D8S	9-in. widescreen touch, 800 x 480 WVGA; one Ethernet port with IEEE 1588; 24V DC	Request a Quote
2711P-T9W21D8S-B	9-in. widescreen touch, 800 x 480 WVGA; one Ethernet port with IEEE 1588; 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T9W22D8S	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote

ORDER NUMBER	DESCRIPTION	
2711P-T9W22D8S-B	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T10C21D8S	10.4-in. touch, 800 x 600 SVGA; one Ethernet port with IEEE 1588; 24V DC	Request a Quote
2711P-T10C21D8S-B	10.4-in. touch, 800 x 600 SVGA; one Ethernet port with IEEE 1588; 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T10C22D8S	10.4-in. touch, 800 x 600 SVGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T10C22D8S-B	10.4-in. touch, 800 x 600 SVGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T12W21D8S	12.1-in. widescreen touch, 1280 x 800 WXGA; one Ethernet port with IEEE 1588; 24V DC	Request a Quote
2711P-T12W21D8S-B	12.1-in. widescreen touch, 1280 x 800 WXGA; one Ethernet port with IEEE 1588; 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T12W22D8S	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T12W22D8S-B	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T15C21D8S	15-in. touch, 1024 x 768 XGA; one Ethernet port with IEEE 1588; 24V DC	Request a Quote
2711P-T15C21D8S-B	15-in. touch, 1024 x 768 XGA; one Ethernet port with IEEE 1588; 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T15C22D8S	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T15C22D8S-B	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote

PanelView Plus 7 Performance

ORDER NUMBER	DESCRIPTION	
2711P-T7C22D9P	6.5-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T7C22D9PK	6.5-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated	Request a Quote
2711P-T7C22D9P-B	6.5-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-B7C22D9P	6.5-in. touch with keypad, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-B7C22D9P-B	6.5-in. touch with keypad, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T9W22D9P	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T9W22D9PK	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated	Request a Quote

ORDER NUMBER	DESCRIPTION	
2711P-T9W22D9P-B	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T9W22D9P-BSHK	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated, brandless, stainless steel 316 bezel	Request a Quote
2711P-T10C22D9P	10.4-in. touch, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T10C22D9PK	10.4-in. touch, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated	Request a Quote
2711P-T10C22D9P-B	10.4-in. touch, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T10C22D9P-BSHK	10.4-in. touch, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated, brandless, stainless steel 316 bezel	Request a Quote
2711P-B10C22D9P	10.4-in. touch with keypad, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-B10C22D9P-B	10.4-in. touch with keypad, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T12W22D9P	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T12W22D9PK	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated	Request a Quote
2711P-T12W22D9P-B	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T12W22D9P-BSHK	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated, brandless, stainless steel 316 bezel	Request a Quote
2711P-T15C22D9P	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-T15C22D9PK	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated	Request a Quote
2711P-T15C22D9P-B	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T15C22D9P-BSHK	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated, brandless, stainless steel 316 bezel	Request a Quote
2711P-B15C22D9P	15-in. touch with keypad, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote
2711P-B15C22D9PK	15-in. touch with keypad, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated	Request a Quote
2711P-B15C22D9P-B	15-in. touch with keypad, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote
2711P-T19C22D9P	19-in. touch, 1280 x 1024 SXGA; two Ethernet ports (star, linear or DLR); 24V DC	Request a Quote

ORDER NUMBER	DESCRIPTION	
2711P-T19C22D9PK	19-in. touch, 1280 x 1024 SXGA; two Ethernet ports (star, linear or DLR); 24V DC; conformal coated	Request a Quote
2711P-T19C22D9P-B	19-in. touch, 1280 x 1024 SXGA; two Ethernet ports (star, linear or DLR); 24V DC; brandless (no Allen-Bradley marking)	Request a Quote

ArmorView Plus 7 (PanelView Plus 7 Performance, arm mount)

ORDER NUMBER	DESCRIPTION	
2711P-T12W22D9P-BM001	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; blank button plate	Request a Quote
2711P-T12W22D9P-BM002	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; blank button plate; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM003	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop	Request a Quote
2711P-T12W22D9P-BM004	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM005	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 2 push buttons; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM006	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 2 push buttons, two-position selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM007	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 2 push buttons, three-position selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM008	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 2 push buttons, three-position key selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM009	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 3 push buttons; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM010	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 3 push buttons, two-position selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM011	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 3 push buttons, three-position selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote

ORDER NUMBER	DESCRIPTION	
2711P-T12W22D9P-BM012	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 3 push buttons, three-position key selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM013	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 6 push buttons; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM014	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 5 push buttons, two-position selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM015	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 5 push buttons, three-position selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote
2711P-T12W22D9P-BM016	ArmorView Plus 7, 12.1-in. widescreen touch, 1280 x 800 WXGA; 24V DC; arm mount adapter; button plate with E-stop, 5 push buttons, three-position key selector; 1732E ArmorBlock EtherNet/IP I/O module	Request a Quote

PanelView Plus 7 Performance, AC powered (discontinued)

ORDER NUMBER	DESCRIPTION	
2711P-T7C22A9P	6.5-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-T7C22A9P-B	6.5-in. touch, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-B7C22A9P	6.5-in. touch with keypad, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-B7C22A9P-B	6.5-in. touch with keypad, 640 x 480 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-T9W22A9P	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-T9W22A9P-B	9-in. widescreen touch, 800 x 480 WVGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-T10C22A9P	10.4-in. touch, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-T10C22A9P-B	10.4-in. touch, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-B10C22A9P	10.4-in. touch with keypad, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote

ORDER NUMBER	DESCRIPTION	
2711P-B10C22A9P-B	10.4-in. touch with keypad, 800 x 600 VGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-T12W22A9P	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-T12W22A9P-B	12.1-in. widescreen touch, 1280 x 800 WXGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-T15C22A9P	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-T15C22A9P-B	15-in. touch, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-B15C22A9P	15-in. touch with keypad, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-B15C22A9P-B	15-in. touch with keypad, 1024 x 768 XGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote
2711P-T19C22A9P	19-in. touch, 1280 x 1024 SXGA; two Ethernet ports (star, linear or DLR); 100...240V AC; discontinued	Request a Quote
2711P-T19C22A9P-B	19-in. touch, 1280 x 1024 SXGA; two Ethernet ports (star, linear or DLR); 100...240V AC; brandless (no Allen-Bradley marking); discontinued	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, PanelView, ArmorView, FactoryTalk and Rockwell Automation are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog numbers and specifications are taken from PanelView Plus 7 Standard Terminals Technical Data, Rockwell Automation publication 2711P-TD008J-EN-P (March 2023), pages 1 and 4...6; PanelView Plus 7 Performance Terminals Technical Data, Rockwell Automation publication 2711P-TD009M-EN-P (April 2024), pages 2 and 5...9; and ArmorView Plus 7 Terminals Installation Instructions, Rockwell Automation publication 2711P-IN013C-EN-P (February 2022), Table 1. They are given for identification; confirm the full catalog number with the terminal label before ordering. Official documentation: literature.rockwellautomation.com.