

POINT I/O 1734 catalog number list

42 catalog numbers for Allen-Bradley POINT I/O (1734) communication adapters, power components, digital, analog, safety and specialty I/O modules and terminal bases, with the key ratings from the official Rockwell selection guide. A K suffix (for example 1734-IB8K) marks the conformally coated version of the same module. Ask us for availability, lead time and price for any item below.

Communication adapters

ORDER NUMBER	DESCRIPTION	
1734-ACNR	ControlNet adapter, redundant media, 25 direct and 5 rack connections	Request a Quote
1734-ADN	DeviceNet adapter, 125/250/500 Kbit/s, POINTBus 1.3 A	Request a Quote
1734-AENT	EtherNet/IP adapter, 1 RJ45 port, 10/100 Mbit/s, POINTBus 1.0 A	Request a Quote
1734-AENTR	EtherNet/IP adapter, 2 RJ45 ports (embedded switch, ring), POINTBus 0.8 A	Request a Quote

Power components

ORDER NUMBER	DESCRIPTION	
1734-EP24DC	Expansion power supply, 24V DC in (10...28.8V DC), adds 1.3 A POINTBus current	Request a Quote
1734-FPD	Field power distributor, 12/24V DC or 120/240V AC, 10 A	Request a Quote

Digital and relay I/O modules

ORDER NUMBER	DESCRIPTION	
1734-IB4	4 inputs, 24V DC sinking (10...28.8V DC)	Request a Quote
1734-IB8	8 inputs, 24V DC sinking (10...28.8V DC)	Request a Quote
1734-IB8K	8 inputs, 24V DC sinking (10...28.8V DC); conformal coated	Request a Quote
1734-OB2	2 outputs, 24V DC sourcing, 1.0 A per channel	Request a Quote
1734-OB4	4 outputs, 24V DC sourcing (10...28.8V DC)	Request a Quote
1734-OB4E	4 outputs, 24V DC sourcing, electronically protected, with diagnostics	Request a Quote
1734-OB8	8 outputs, 24V DC sourcing (10...28.8V DC)	Request a Quote
1734-OB8K	8 outputs, 24V DC sourcing (10...28.8V DC); conformal coated	Request a Quote
1734-OB8E	8 outputs, 24V DC sourcing, electronically protected, with diagnostics	Request a Quote
1734-OW4	4 Form A relay outputs, 120/240V AC or 5...30V DC, 2.0 A	Request a Quote

Analog and temperature I/O modules

ORDER NUMBER	DESCRIPTION	
1734-IE2C	2 current inputs, 4...20 or 0...20 mA, 16 bit	Request a Quote
1734-IE2V	2 voltage inputs, 0...10V or $\pm 10V$, 15 bits plus sign	Request a Quote

ORDER NUMBER	DESCRIPTION	
1734-IE4C	4 current inputs, 4...20 or 0...20 mA	Request a Quote
1734-IE8C	8 current inputs, 4...20 or 0...20 mA, 16 bit	Request a Quote
1734-IR2	2 RTD inputs, 0...600 Ω , 16 bit	Request a Quote
1734-0E2C	2 current outputs, 4...20 or 0...20 mA, 13 bit	Request a Quote
1734-0E2V	2 voltage outputs, 0...10V or $\pm 10V$, 14 bit	Request a Quote
1734-0E4C	4 current outputs, 4...20 or 0...20 mA, 16 bit	Request a Quote

POINT Guard safety I/O modules

ORDER NUMBER	DESCRIPTION	
1734-IB8S	POINT Guard safety input, 8 sinking inputs, 4 test outputs	Request a Quote
1734-IB8SK	POINT Guard safety input, 8 sinking inputs, 4 test outputs; conformal coated	Request a Quote
1734-IE4S	POINT Guard safety analog input, 4 inputs (voltage, current, tachometer), 12 bit	Request a Quote
1734-0B8S	POINT Guard safety output, 8 sourcing outputs, 1 A at 40 °C	Request a Quote
1734-0B8SK	POINT Guard safety output, 8 sourcing outputs, 1 A at 40 °C; conformal coated	Request a Quote

Specialty modules

ORDER NUMBER	DESCRIPTION	
1734-232ASC	ASCII module, 1 RS-232 channel, up to 38.4 Kbps	Request a Quote
1734-485ASC	ASCII module, 1 RS-422/RS-485 channel, up to 38.4 Kbps	Request a Quote
1734-4I0L	IO-Link master, 4 channels, 4.8/38.4/230.4 kB	Request a Quote
1734-CTM	Common terminal module, 2 A per point, 4 A per module	Request a Quote
1734-IK	Incremental encoder/counter, 1 A/B/Z input, 15...24V DC, up to 1 MHz	Request a Quote

Terminal bases

ORDER NUMBER	DESCRIPTION	
1734-TB	Mounting base with 8-terminal screw-clamp RTB (1734-RTB)	Request a Quote
1734-TB3S	Mounting base with 12-terminal spring-clamp RTB (1734-RTB3S)	Request a Quote
1734-TBCJC	Mounting base with cold junction compensation RTB, for 1734-IT2I	Request a Quote
1734-TBS	Mounting base with 8-terminal spring-clamp RTB (1734-RTBS)	Request a Quote
1734-T0P	One-piece terminal base, 8 terminals, screw clamp	Request a Quote
1734-T0P3	One-piece terminal base, 12 terminals, screw clamp	Request a Quote
1734-T0P3S	One-piece terminal base, 12 terminals, spring clamp	Request a Quote
1734-T0PS	One-piece terminal base, 8 terminals, spring clamp	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, POINT I/O and POINT Guard I/O are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog numbers, ratings and specifications are taken from POINT I/O Selection Guide, Rockwell Automation publication 1734-SG001J-EN-P (July 2026). They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.