

Allen-Bradley PowerFlex 4 AC drives (22A), catalog number list

52 catalog numbers for Allen-Bradley PowerFlex 4 AC drives, from the official product selection table. Each drive row gives kW, HP, output current, input voltage and enclosure. Catalog number: position 5 = voltage (V 120 V 1-phase, A 240 V 1-phase, B 240 V 3-phase, D 480 V 3-phase, E 600 V 3-phase); positions 6...8 = output current; position 9 = enclosure (N IP20 panel mount, F IP20 flange mount, C IP66 NEMA/UL Type 4X/12); position 11 = EMC filter (0 none, 1 filtered); position 12 = brake IGBT (3 without, 4 with). Ask us for availability, lead time and price for any item below.

100...120 V AC, 1-phase input

ORDER NUMBER	DESCRIPTION	
22A-V1P5F104	PowerFlex 4, 0.2 kW (0.25 HP), 1.5 A, 100...120 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-V1P5N104	PowerFlex 4, 0.2 kW (0.25 HP), 1.5 A, 100...120 V AC 1-phase input, IP20 panel mount, frame A	Request a Quote
22A-V2P3F104	PowerFlex 4, 0.4 kW (0.5 HP), 2.3 A, 100...120 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-V2P3N104	PowerFlex 4, 0.4 kW (0.5 HP), 2.3 A, 100...120 V AC 1-phase input, IP20 panel mount, frame A	Request a Quote
22A-V4P5F104	PowerFlex 4, 0.75 kW (1.0 HP), 4.5 A, 100...120 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-V4P5N104	PowerFlex 4, 0.75 kW (1.0 HP), 4.5 A, 100...120 V AC 1-phase input, IP20 panel mount, frame B	Request a Quote
22A-V6P0F104	PowerFlex 4, 1.1 kW (1.5 HP), 6.0 A, 100...120 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-V6P0N104	PowerFlex 4, 1.1 kW (1.5 HP), 6.0 A, 100...120 V AC 1-phase input, IP20 panel mount, frame B	Request a Quote

200...240 V AC, 1-phase input

ORDER NUMBER	DESCRIPTION	
22A-A1P4N103	PowerFlex 4, 0.2 kW (0.25 HP), 1.4 A, 200...240 V AC 1-phase input, IP20 panel mount, no brake IGBT, frame A	Request a Quote
22A-A2P1N103	PowerFlex 4, 0.4 kW (0.5 HP), 2.1 A, 200...240 V AC 1-phase input, IP20 panel mount, no brake IGBT, frame A	Request a Quote
22A-A3P6N103	PowerFlex 4, 0.75 kW (1.0 HP), 3.6 A, 200...240 V AC 1-phase input, IP20 panel mount, no brake IGBT, frame A	Request a Quote
22A-A6P8N103	PowerFlex 4, 1.5 kW (2.0 HP), 6.8 A, 200...240 V AC 1-phase input, IP20 panel mount, no brake IGBT, frame B	Request a Quote
22A-A9P6N103	PowerFlex 4, 2.2 kW (3.0 HP), 9.6 A, 200...240 V AC 1-phase input, IP20 panel mount, no brake IGBT, frame B	Request a Quote

ORDER NUMBER	DESCRIPTION	
22A-A1P4N113	PowerFlex 4, 0.2 kW (0.25 HP), 1.4 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22A-A2P1N113	PowerFlex 4, 0.4 kW (0.5 HP), 2.1 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22A-A3P6N113	PowerFlex 4, 0.75 kW (1.0 HP), 3.6 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22A-A6P8N113	PowerFlex 4, 1.5 kW (2.0 HP), 6.8 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, no brake IGBT, frame B	Request a Quote
22A-A9P6N113	PowerFlex 4, 2.2 kW (3.0 HP), 9.6 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, no brake IGBT, frame B	Request a Quote
22A-A1P5N114	PowerFlex 4, 0.2 kW (0.25 HP), 1.5 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, frame A	Request a Quote
22A-A2P3N114	PowerFlex 4, 0.4 kW (0.5 HP), 2.3 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, frame A	Request a Quote
22A-A4P5N114	PowerFlex 4, 0.75 kW (1.0 HP), 4.5 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, frame A	Request a Quote
22A-A8P0N114	PowerFlex 4, 1.5 kW (2.0 HP), 8.0 A, 200...240 V AC 1-phase input, IP20 panel mount, integral EMC filter, frame B	Request a Quote
22A-A1P5F104	PowerFlex 4, 0.2 kW (0.25 HP), 1.5 A, 200...240 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-A1P5N104	PowerFlex 4, 0.2 kW (0.25 HP), 1.5 A, 200...240 V AC 1-phase input, IP20 panel mount, frame A	Request a Quote
22A-A2P3F104	PowerFlex 4, 0.4 kW (0.5 HP), 2.3 A, 200...240 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-A2P3N104	PowerFlex 4, 0.4 kW (0.5 HP), 2.3 A, 200...240 V AC 1-phase input, IP20 panel mount, frame A	Request a Quote
22A-A4P5F104	PowerFlex 4, 0.75 kW (1.0 HP), 4.5 A, 200...240 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-A4P5N104	PowerFlex 4, 0.75 kW (1.0 HP), 4.5 A, 200...240 V AC 1-phase input, IP20 panel mount, frame A	Request a Quote
22A-A8P0F104	PowerFlex 4, 1.5 kW (2.0 HP), 8.0 A, 200...240 V AC 1-phase input, IP20 flange mount	Request a Quote
22A-A8P0N104	PowerFlex 4, 1.5 kW (2.0 HP), 8.0 A, 200...240 V AC 1-phase input, IP20 panel mount, frame B	Request a Quote

200...240 V AC, 3-phase input

ORDER NUMBER	DESCRIPTION	
22A-B1P5F104	PowerFlex 4, 0.2 kW (0.25 HP), 1.5 A, 200...240 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-B1P5N104	PowerFlex 4, 0.2 kW (0.25 HP), 1.5 A, 200...240 V AC 3-phase input, IP20 panel mount, frame A	Request a Quote

ORDER NUMBER	DESCRIPTION	
22A-B2P3F104	PowerFlex 4, 0.4 kW (0.5 HP), 2.3 A, 200...240 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-B2P3N104	PowerFlex 4, 0.4 kW (0.5 HP), 2.3 A, 200...240 V AC 3-phase input, IP20 panel mount, frame A	Request a Quote
22A-B4P5F104	PowerFlex 4, 0.75 kW (1.0 HP), 4.5 A, 200...240 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-B4P5N104	PowerFlex 4, 0.75 kW (1.0 HP), 4.5 A, 200...240 V AC 3-phase input, IP20 panel mount, frame A	Request a Quote
22A-B8P0F104	PowerFlex 4, 1.5 kW (2.0 HP), 8.0 A, 200...240 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-B8P0N104	PowerFlex 4, 1.5 kW (2.0 HP), 8.0 A, 200...240 V AC 3-phase input, IP20 panel mount, frame A	Request a Quote
22A-B012F104	PowerFlex 4, 2.2 kW (3.0 HP), 12.0 A, 200...240 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-B012N104	PowerFlex 4, 2.2 kW (3.0 HP), 12.0 A, 200...240 V AC 3-phase input, IP20 panel mount, frame B	Request a Quote
22A-B017F104	PowerFlex 4, 3.7 kW (5.0 HP), 17.5 A, 200...240 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-B017N104	PowerFlex 4, 3.7 kW (5.0 HP), 17.5 A, 200...240 V AC 3-phase input, IP20 panel mount, frame B	Request a Quote

380...480 V AC, 3-phase input

ORDER NUMBER	DESCRIPTION	
22A-D1P4F104	PowerFlex 4, 0.4 kW (0.5 HP), 1.4 A, 380...480 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-D1P4N104	PowerFlex 4, 0.4 kW (0.5 HP), 1.4 A, 380...480 V AC 3-phase input, IP20 panel mount, frame A	Request a Quote
22A-D2P3F104	PowerFlex 4, 0.75 kW (1.0 HP), 2.3 A, 380...480 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-D2P3N104	PowerFlex 4, 0.75 kW (1.0 HP), 2.3 A, 380...480 V AC 3-phase input, IP20 panel mount, frame A	Request a Quote
22A-D4P0F104	PowerFlex 4, 1.5 kW (2.0 HP), 4.0 A, 380...480 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-D4P0N104	PowerFlex 4, 1.5 kW (2.0 HP), 4.0 A, 380...480 V AC 3-phase input, IP20 panel mount, frame A	Request a Quote
22A-D6P0F104	PowerFlex 4, 2.2 kW (3.0 HP), 6.0 A, 380...480 V AC 3-phase input, IP20 flange mount	Request a Quote
22A-D6P0N104	PowerFlex 4, 2.2 kW (3.0 HP), 6.0 A, 380...480 V AC 3-phase input, IP20 panel mount, frame B	Request a Quote
22A-D8P7F104	PowerFlex 4, 3.7 kW (5.0 HP), 8.7 A, 380...480 V AC 3-phase input, IP20 flange mount	Request a Quote

ORDER NUMBER	DESCRIPTION	
22A-D8P7N104	PowerFlex 4, 3.7 kW (5.0 HP), 8.7 A, 380...480 V AC 3-phase input, IP20 panel mount, frame B	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, PowerFlex, StepLogic and Rockwell Automation are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog numbers and specifications are taken from PowerFlex 4 and 40 AC Drives Technical Data, Rockwell Automation publication 22-TD001J-EN-P (September 2024), pages 8...20. They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.