

Allen-Bradley PowerFlex 400 AC drives for fan and pump applications (22C), catalog number list

39 catalog numbers for Allen-Bradley PowerFlex 400 AC drives, from the official product selection tables. Each row gives kW, HP, output current, input voltage, enclosure and frame size. Catalog number: position 5 = voltage (B 240 V, D 480 V, 3-phase); positions 6...8 = output current; position 9 = enclosure (N IP20 panel mount, A IP30 NEMA/UL Type 1 panel mount, F flange mount). Ask us for availability, lead time and price for any item below.

200...240 V AC 3-phase input

ORDER NUMBER	DESCRIPTION	
22C-B012F103	PowerFlex 400, 2.2 kW (3.0 HP), 12 A, 200...240 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-B012N103	PowerFlex 400, 2.2 kW (3.0 HP), 12 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-B017F103	PowerFlex 400, 3.7 kW (5.0 HP), 17.5 A, 200...240 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-B017N103	PowerFlex 400, 3.7 kW (5.0 HP), 17.5 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-B024F103	PowerFlex 400, 5.5 kW (7.5 HP), 24 A, 200...240 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-B024N103	PowerFlex 400, 5.5 kW (7.5 HP), 24 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-B033F103	PowerFlex 400, 7.5 kW (10 HP), 33 A, 200...240 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-B033N103	PowerFlex 400, 7.5 kW (10 HP), 33 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-B049A103	PowerFlex 400, 11 kW (15 HP), 49 A, 200...240 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame D	Request a Quote
22C-B065A103	PowerFlex 400, 15 kW (20 HP), 65 A, 200...240 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame D	Request a Quote
22C-B075A103	PowerFlex 400, 18.5 kW (25 HP), 75 A, 200...240 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame D	Request a Quote
22C-B090A103	PowerFlex 400, 22 kW (30 HP), 90 A, 200...240 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame D	Request a Quote
22C-B120A103	PowerFlex 400, 30 kW (40 HP), 120 A, 200...240 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame E	Request a Quote
22C-B145A103	PowerFlex 400, 37 kW (50 HP), 145 A, 200...240 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame E	Request a Quote

380...480 V AC 3-phase input

ORDER NUMBER	DESCRIPTION	
22C-D6P0F103	PowerFlex 400, 2.2 kW (3.0 HP), 6.0 A, 380...480 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-D6P0N103	PowerFlex 400, 2.2 kW (3.0 HP), 6.0 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-D010F103	PowerFlex 400, 4.0 kW (5.0 HP), 10.5 A, 380...480 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-D010N103	PowerFlex 400, 4.0 kW (5.0 HP), 10.5 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-D012F103	PowerFlex 400, 5.5 kW (7.5 HP), 12 A, 380...480 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-D012N103	PowerFlex 400, 5.5 kW (7.5 HP), 12 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-D017F103	PowerFlex 400, 7.5 kW (10 HP), 17 A, 380...480 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-D017N103	PowerFlex 400, 7.5 kW (10 HP), 17 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-D022F103	PowerFlex 400, 11 kW (15 HP), 22 A, 380...480 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-D022N103	PowerFlex 400, 11 kW (15 HP), 22 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-D030F103	PowerFlex 400, 15 kW (20 HP), 30 A, 380...480 V AC 3-phase input, flange mount, frame C	Request a Quote
22C-D030N103	PowerFlex 400, 15 kW (20 HP), 30 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, frame C	Request a Quote
22C-D038A103	PowerFlex 400, 18.5 kW (25 HP), 38 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame D	Request a Quote
22C-D045A103	PowerFlex 400, 22 kW (30 HP), 45.5 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame D	Request a Quote
22C-D060A103	PowerFlex 400, 30 kW (40 HP), 60 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame D	Request a Quote
22C-D072A103	PowerFlex 400, 37 kW (50 HP), 72 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame E	Request a Quote
22C-D088A103	PowerFlex 400, 45 kW (60 HP), 88 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame E	Request a Quote
22C-D105A103	PowerFlex 400, 55 kW (75 HP), 105 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame E	Request a Quote
22C-D142A103	PowerFlex 400, 75 kW (100 HP), 142 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame E	Request a Quote
22C-D170A103	PowerFlex 400, 90 kW (125 HP), 170 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame F	Request a Quote

ORDER NUMBER	DESCRIPTION	
22C-D208A103	PowerFlex 400, 110 kW (150 HP), 208 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame F	Request a Quote
22C-D260A103	PowerFlex 400, 132 kW (200 HP), 260 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame G	Request a Quote
22C-D310A103	PowerFlex 400, 160 kW (250 HP), 310 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame G	Request a Quote
22C-D370A103	PowerFlex 400, 200 kW (300 HP), 370 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame H	Request a Quote
22C-D460A103	PowerFlex 400, 250 kW (350 HP), 460 A, 380...480 V AC 3-phase input, IP30, NEMA/UL Type 1 panel mount, frame H	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, PowerFlex, DriveGuard, StepLogic and Rockwell Automation are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog numbers and specifications are taken from PowerFlex 400 Adjustable Frequency AC Drives for Fan and Pump Applications Technical Data, Rockwell Automation publication 22C-TD001G-EN-P (August 2024), pages 3...25. They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.