

Allen-Bradley PowerFlex 4M AC drives (22F), catalog number list

38 catalog numbers for Allen-Bradley PowerFlex 4M AC drives, from the official product selection tables. Each row gives kW, HP, output current, input voltage, enclosure and frame size. Catalog number: position 5 = voltage (V 120 V 1-phase, A 240 V 1-phase, B 240 V 3-phase, D 480 V 3-phase); positions 6...8 = output current; position 11 = EMC filter (0 none, 1 filtered); position 12 = brake IGBT (3 none, 4 standard). Ask us for availability, lead time and price for any item below.

100...120 V AC 1-phase input

ORDER NUMBER	DESCRIPTION	
22F-V1P6N103	PowerFlex 4M, 0.2 kW (0.25 HP), 1.6 A, 100...120 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-V2P5N103	PowerFlex 4M, 0.4 kW (0.5 HP), 2.5 A, 100...120 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-V4P5N103	PowerFlex 4M, 0.75 kW (1 HP), 4.5 A, 100...120 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-V6P0N103	PowerFlex 4M, 1.1 kW (1.5 HP), 6 A, 100...120 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote

200...240 V AC 1-phase input

ORDER NUMBER	DESCRIPTION	
22F-A1P6N103	PowerFlex 4M, 0.2 kW (0.25 HP), 1.6 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-A1P6N113	PowerFlex 4M, 0.2 kW (0.25 HP), 1.6 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22F-A2P5N103	PowerFlex 4M, 0.4 kW (0.5 HP), 2.5 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-A2P5N113	PowerFlex 4M, 0.4 kW (0.5 HP), 2.5 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22F-A4P2N103	PowerFlex 4M, 0.75 kW (1 HP), 4.2 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-A4P2N113	PowerFlex 4M, 0.75 kW (1 HP), 4.2 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22F-A8P0N103	PowerFlex 4M, 1.5 kW (2 HP), 8 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-A8P0N113	PowerFlex 4M, 1.5 kW (2 HP), 8 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame B	Request a Quote

ORDER NUMBER	DESCRIPTION	
22F-A011N103	PowerFlex 4M, 2.2 kW (3 HP), 11 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-A011N113	PowerFlex 4M, 2.2 kW (3 HP), 11 A, 200...240 V AC 1-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame B	Request a Quote

200...240 V AC 3-phase input

ORDER NUMBER	DESCRIPTION	
22F-B1P6N103	PowerFlex 4M, 0.2 kW (0.25 HP), 1.6 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-B2P5N103	PowerFlex 4M, 0.4 kW (0.5 HP), 2.5 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-B4P2N103	PowerFlex 4M, 0.75 kW (1 HP), 4.2 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-B8P0N103	PowerFlex 4M, 1.5 kW (2 HP), 8 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-B012N103	PowerFlex 4M, 2.2 kW (3 HP), 12 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-B017N103	PowerFlex 4M, 3.7 kW (5 HP), 17.5 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-B025N104	PowerFlex 4M, 5.5 kW (7.5 HP), 25 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, with brake IGBT, frame C	Request a Quote
22F-B033N104	PowerFlex 4M, 7.5 kW (10 HP), 33 A, 200...240 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, with brake IGBT, frame C	Request a Quote

380...480 V AC 3-phase input

ORDER NUMBER	DESCRIPTION	
22F-D1P5N103	PowerFlex 4M, 0.4 kW (0.5 HP), 1.5 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-D1P5N113	PowerFlex 4M, 0.4 kW (0.5 HP), 1.5 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22F-D2P5N103	PowerFlex 4M, 0.75 kW (1 HP), 2.5 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame A	Request a Quote
22F-D2P5N113	PowerFlex 4M, 0.75 kW (1 HP), 2.5 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame A	Request a Quote
22F-D4P2N103	PowerFlex 4M, 1.5 kW (2 HP), 4.2 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-D4P2N113	PowerFlex 4M, 1.5 kW (2 HP), 4.2 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame B	Request a Quote

ORDER NUMBER	DESCRIPTION	
22F-D6P0N103	PowerFlex 4M, 2.2 kW (3 HP), 6 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-D6P0N113	PowerFlex 4M, 2.2 kW (3 HP), 6 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame B	Request a Quote
22F-D8P7N103	PowerFlex 4M, 3.7 kW (5 HP), 8.7 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, no brake IGBT, frame B	Request a Quote
22F-D8P7N113	PowerFlex 4M, 3.7 kW (5 HP), 8.7 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, no brake IGBT, frame B	Request a Quote
22F-D013N104	PowerFlex 4M, 5.5 kW (7.5 HP), 13 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, with brake IGBT, frame C	Request a Quote
22F-D013N114	PowerFlex 4M, 5.5 kW (7.5 HP), 13 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, with brake IGBT, frame C	Request a Quote
22F-D018N104	PowerFlex 4M, 7.5 kW (10 HP), 18 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, with brake IGBT, frame C	Request a Quote
22F-D018N114	PowerFlex 4M, 7.5 kW (10 HP), 18 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, with brake IGBT, frame C	Request a Quote
22F-D024N104	PowerFlex 4M, 11 kW (15 HP), 24 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, with brake IGBT, frame C	Request a Quote
22F-D024N114	PowerFlex 4M, 11 kW (15 HP), 24 A, 380...480 V AC 3-phase input, IP20, NEMA/UL Type Open panel mount, integral EMC filter, with brake IGBT, frame C	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, PowerFlex, DriveGuard, StepLogic and Rockwell Automation are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog numbers and specifications are taken from PowerFlex 4M Adjustable Frequency AC Drives Technical Data, Rockwell Automation publication 22F-TD001D-EN-P (September 2024), pages 3...14. They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.