

Allen-Bradley PowerFlex 70 AC drives (20A), catalog number list

224 configured catalog numbers for Allen-Bradley PowerFlex 70 AC drives (20A), decoded with the official catalog number explanation and product selection tables. ND = normal duty; amps are continuous output current. Catalog number: position 4 = voltage (B 240 V, C 400 V, D 480 V); 5...7 = normal-duty rating code; 8 = enclosure (A IP20 panel mount, C IP66 NEMA/UL Type 4X/12 wall mount, F flange mount); 9 = HIM (0 blank cover, 3 full numeric LCD); 10 = documentation (A manual, N none); 11 = brake IGBT (Y); 12 = internal brake resistor (Y yes, N no); 13 = EMC filter (A filtered, N not filtered); 14 = internal communication adapter (C ControlNet, D DeviceNet, E EtherNet/IP, N none); 15 = control (C enhanced, G enhanced with Safe Torque Off); 16 = feedback (0 none, 1 5V/12V encoder). Ask us for availability, lead time and price for any item below.

240 V AC, 3-phase input (ratings in HP)

ORDER NUMBER	DESCRIPTION	
20AB4P2A0AYNNNC0	PowerFlex 70, 240 V AC, 1 HP ND, 4.2 A, IP20 panel mount, frame A, no HIM, no filter, enhanced control	Request a Quote
20AB022A0AYNANC0	PowerFlex 70, 240 V AC, 7.5 HP ND, 22 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote

400 V AC, 3-phase input (ratings in kW)

ORDER NUMBER	DESCRIPTION	
20AC1P3C3AYNAEC0	PowerFlex 70, 400 V AC, 0.37 kW ND, 1.3 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC1P3C3AYNANC0	PowerFlex 70, 400 V AC, 0.37 kW ND, 1.3 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC2P1C3AYNANC0	PowerFlex 70, 400 V AC, 0.75 kW ND, 2.1 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC3P5A0AYNANC0	PowerFlex 70, 400 V AC, 1.5 kW ND, 3.5 A, IP20 panel mount, frame B, no HIM, EMC filter, enhanced control	Request a Quote
20AC3P5C3AYNAEC0	PowerFlex 70, 400 V AC, 1.5 kW ND, 3.5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC3P5C3AYNANC0	PowerFlex 70, 400 V AC, 1.5 kW ND, 3.5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC3P5C3AYNNNC0	PowerFlex 70, 400 V AC, 1.5 kW ND, 3.5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, no filter, enhanced control	Request a Quote
20AC3P5F0AYNADC0	PowerFlex 70, 400 V AC, 1.5 kW ND, 3.5 A, flange mount, no HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC3P5F0AYNADC1	PowerFlex 70, 400 V AC, 1.5 kW ND, 3.5 A, flange mount, no HIM, EMC filter, DeviceNet adapter, enhanced control, 5V/12V encoder	Request a Quote
20AC3P5F0AYNANC0	PowerFlex 70, 400 V AC, 1.5 kW ND, 3.5 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC5P0A0AYNADC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC5P0A0AYNAEC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC5P0A0AYNANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, EMC filter, enhanced control	Request a Quote
20AC5P0A0AYNANC1	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC5P0A0AYNNEG0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, no filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC5P0A0AYNNNC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, no filter, enhanced control	Request a Quote
20AC5P0A0AYYANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC5P0A0AYYNNC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, no filter, internal brake resistor, enhanced control	Request a Quote
20AC5P0A0NYNANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC5P0A0NYNNNC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, no HIM, no filter, enhanced control, no manual	Request a Quote
20AC5P0A3AYNACC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AC5P0A3AYNADC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC5P0A3AYNAEC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC5P0A3AYNAEG0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC5P0A3AYNAEG1	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AC5P0A3AYNANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC5P0A3AYNANC1	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC5P0A3AYNNDC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, no filter, DeviceNet adapter, enhanced control	Request a Quote
20AC5P0A3AYNNEC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, no filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC5P0A3AYNNNC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, no filter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC5P0A3AYYACC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, internal brake resistor, ControlNet adapter, enhanced control	Request a Quote
20AC5P0A3AYYAEC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control	Request a Quote
20AC5P0A3AYYANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC5P0A3AYYNCC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, no filter, internal brake resistor, ControlNet adapter, enhanced control	Request a Quote
20AC5P0A3AYYNNC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, no filter, internal brake resistor, enhanced control	Request a Quote
20AC5P0A3NYYAEC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP20 panel mount, frame B, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control, no manual	Request a Quote
20AC5P0C0NYNANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC5P0C3AYNANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC5P0C3AYNNCC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, no filter, ControlNet adapter, enhanced control	Request a Quote
20AC5P0C3AYNNNC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, no filter, enhanced control	Request a Quote
20AC5P0C3AYYANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC5P0F0AYNADC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, flange mount, no HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC5P0F0AYNANC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC5P0F0AYNNNC0	PowerFlex 70, 400 V AC, 2.2 kW ND, 5 A, flange mount, no HIM, no filter, enhanced control	Request a Quote
20AC8P7A3AYYNG0	PowerFlex 70, 400 V AC, 4 kW ND, 8.7 A, IP20 panel mount, frame B, full numeric LCD HIM, no filter, internal brake resistor, enhanced control with Safe Torque Off	Request a Quote
20AC8P7C3AYNNNC0	PowerFlex 70, 400 V AC, 4 kW ND, 8.7 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, no filter, enhanced control	Request a Quote
20AC011A0AYNADC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, no HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC011A0AYNADG0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, no HIM, EMC filter, DeviceNet adapter, enhanced control with Safe Torque Off	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC011A0AYNAEG0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, no HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC011A0AYNANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, no HIM, EMC filter, enhanced control	Request a Quote
20AC011A0AYNANC1	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, no HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC011A0AYYANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC011A0NYNANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, no HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC011A3AYNADC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC011A3AYNAEC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC011A3AYNAEC1	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AC011A3AYNAEG0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC011A3AYNANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC011A3AYNANC1	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC011A3AYYACC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, internal brake resistor, ControlNet adapter, enhanced control	Request a Quote
20AC011A3AYYAE0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control	Request a Quote
20AC011A3AYYAE1	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AC011A3AYYANC1	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control, 5V/12V encoder	Request a Quote
20AC011C0AYNANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC011C3AYNANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC011F0AYNANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC011F3NYNANC0	PowerFlex 70, 400 V AC, 5.5 kW ND, 11.5 A, flange mount, full numeric LCD HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC015A0AYNACC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, no HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AC015A0AYNADC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, no HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC015A0AYNADG0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, no HIM, EMC filter, DeviceNet adapter, enhanced control with Safe Torque Off	Request a Quote
20AC015A0AYNAEC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, no HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC015A0AYNANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, no HIM, EMC filter, enhanced control	Request a Quote
20AC015A0AYNANC1	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, no HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC015A0AYYANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC015A3AYNACC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AC015A3AYNADC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC015A3AYNADG1	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AC015A3AYNAEC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC015A3AYNAEC1	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AC015A3AYNAEG0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC015A3AYNANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC015A3AYNANC1	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC015A3AYYAEC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control	Request a Quote
20AC015A3AYYANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC015C0AYNANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC015C3AYNANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC015C3AYYANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC015F0AYNANC0	PowerFlex 70, 400 V AC, 7.5 kW ND, 15 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC022A0AYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote
20AC022A0AYYANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC022A0NYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC022A3AYNADC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC022A3AYNAEC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC022A3AYNAEG0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC022A3AYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC022A3AYNANG0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control with Safe Torque Off	Request a Quote
20AC022A3AYYADG1	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, DeviceNet adapter, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AC022A3AYYANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC022C0AYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC022C0NYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC022C3AYNAEC1	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AC022C3AYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC022C3AYYANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC022F0AYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC022F3NYNANC0	PowerFlex 70, 400 V AC, 11 kW ND, 22 A, flange mount, full numeric LCD HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC030A0AYNANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote
20AC030A0AYYANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC030A0NYNANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC030A3AYNADC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC030A3AYNAEC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC030A3AYNANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC030A3AYNANC1	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC030A3AYNANG0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control with Safe Torque Off	Request a Quote
20AC030A3AYYANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC030A3AYYANC1	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control, 5V/12V encoder	Request a Quote
20AC030A3NYNAEC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control, no manual	Request a Quote
20AC030A3NYNANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC030C0NYNANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control, no manual	Request a Quote
20AC030C3AYNADC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC030C3AYNANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC030C3AYYANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC030F0AYNANC0	PowerFlex 70, 400 V AC, 15 kW ND, 30 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC037A0AYNANC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC037A0NYNACC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, no HIM, EMC filter, ControlNet adapter, enhanced control, no manual	Request a Quote
20AC037A3AYNACC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AC037A3AYNADC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC037A3AYNAEC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC037A3AYNAEG0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC037A3AYNANC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC037A3AYNANC1	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC037A3AYYADG0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, DeviceNet adapter, enhanced control with Safe Torque Off	Request a Quote
20AC037C0AYNANC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC037C3AYNANC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC037F0AYNANC0	PowerFlex 70, 400 V AC, 18.5 kW ND, 37 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC043A0AYNACC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, no HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AC043A0AYNAEC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, no HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC043A0AYNANC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote
20AC043A0AYYANC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC043A3AYNADC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AC043A3AYNAEC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AC043A3AYNAEC1	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AC043A3AYNAEG0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AC043A3AYNANC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC043A3AYNANC1	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AC043A3AYYAE00	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AC043A3AYYANG0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control with Safe Torque Off	Request a Quote
20AC043A3NYNACC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control, no manual	Request a Quote
20AC043C0AYNANC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC043C3AYNAEC1	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AC043C3AYNANC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC043F0AYNANC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AC043F3AYYANC0	PowerFlex 70, 400 V AC, 22 kW ND, 43 A, flange mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AC060A0AYNANC0	PowerFlex 70, 400 V AC, 30 kW ND, 60 A, IP20 panel mount, frame E, no HIM, EMC filter, enhanced control	Request a Quote
20AC060C3AYNANC0	PowerFlex 70, 400 V AC, 30 kW ND, 60 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AC072C3AYNANC0	PowerFlex 70, 400 V AC, 37 kW ND, 72 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote

480 V AC, 3-phase input (ratings in HP)

ORDER NUMBER	DESCRIPTION	
20AD2P1C3AYNANC0	PowerFlex 70, 480 V AC, 1 HP ND (0.75 kW), 2.1 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD5P0C3AYNANC0	PowerFlex 70, 480 V AC, 3 HP ND (2.2 kW), 5 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD8P0C3AYNANC0	PowerFlex 70, 480 V AC, 5 HP ND (3.7 kW), 8 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD8P0C3AYNNNC0	PowerFlex 70, 480 V AC, 5 HP ND (3.7 kW), 8 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, no filter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AD011A3AYNANC1	PowerFlex 70, 480 V AC, 7.5 HP ND (5.5 kW), 11 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AD011C0AYYANC0	PowerFlex 70, 480 V AC, 7.5 HP ND (5.5 kW), 11 A, IP66 NEMA/UL Type 4X/12 wall mount, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AD011C3AYNANC0	PowerFlex 70, 480 V AC, 7.5 HP ND (5.5 kW), 11 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD011C3AYYANC0	PowerFlex 70, 480 V AC, 7.5 HP ND (5.5 kW), 11 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AD011F0AYNANC0	PowerFlex 70, 480 V AC, 7.5 HP ND (5.5 kW), 11 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AD014A3AYYANC1	PowerFlex 70, 480 V AC, 10 HP ND (7.5 kW), 14 A, IP20 panel mount, frame C, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control, 5V/12V encoder	Request a Quote
20AD014C3AYNANC0	PowerFlex 70, 480 V AC, 10 HP ND (7.5 kW), 14 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD014F0AYNANC0	PowerFlex 70, 480 V AC, 10 HP ND (7.5 kW), 14 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AD014F3AYNANC0	PowerFlex 70, 480 V AC, 10 HP ND (7.5 kW), 14 A, flange mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD022A0AYNACG1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, no HIM, EMC filter, ControlNet adapter, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AD022A0AYNANC0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote
20AD022A3AYNACC0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AD022A3AYNADC0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AD022A3AYNADG1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AD022A3AYNAEC1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AD022A3AYNAEG0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AD022A3AYNAEG1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AD022A3AYNANC0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD022A3AYNANC1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control, 5V/12V encoder	Request a Quote
20AD022A3AYNANG0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control with Safe Torque Off	Request a Quote
20AD022A3AYYAE0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control with Safe Torque Off	Request a Quote
20AD022A3AYYAE1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, EtherNet/IP adapter, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AD022A3AYYANC1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control, 5V/12V encoder	Request a Quote
20AD022A3AYYANG1	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control with Safe Torque Off, 5V/12V encoder	Request a Quote
20AD022C3AYNANC0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD022F0AYNANC0	PowerFlex 70, 480 V AC, 15 HP ND (11 kW), 22 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AD027A0AYNAEC1	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP20 panel mount, frame D, no HIM, EMC filter, EtherNet/IP adapter, enhanced control, 5V/12V encoder	Request a Quote
20AD027A0AYNANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote
20AD027A0AYYANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP20 panel mount, frame D, no HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AD027A3AYNACC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AD027A3AYNACG0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control with Safe Torque Off	Request a Quote
20AD027A3AYNADC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AD027A3AYNANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD027C3AYNANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD027C3AYYANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AD027F0AYNANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AD027F3AYNANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, flange mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD027F3AYYANC0	PowerFlex 70, 480 V AC, 20 HP ND (15 kW), 27 A, flange mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AD034A0AYNANC0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote
20AD034A0AYNANG0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control with Safe Torque Off	Request a Quote
20AD034A3AYNACC0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AD034A3AYNADC0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, DeviceNet adapter, enhanced control	Request a Quote
20AD034A3AYNANC0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD034A3AYYANC0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control	Request a Quote
20AD034C3AYNANC0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD034C3AYYANC1	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, internal brake resistor, enhanced control, 5V/12V encoder	Request a Quote
20AD034F0AYNANC0	PowerFlex 70, 480 V AC, 25 HP ND (18.5 kW), 34 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AD040A0AYNANC0	PowerFlex 70, 480 V AC, 30 HP ND (22 kW), 40 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control	Request a Quote
20AD040A0AYNANG0	PowerFlex 70, 480 V AC, 30 HP ND (22 kW), 40 A, IP20 panel mount, frame D, no HIM, EMC filter, enhanced control with Safe Torque Off	Request a Quote
20AD040A3AYNAEC0	PowerFlex 70, 480 V AC, 30 HP ND (22 kW), 40 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote

ORDER NUMBER	DESCRIPTION	
20AD040A3AYNANC0	PowerFlex 70, 480 V AC, 30 HP ND (22 kW), 40 A, IP20 panel mount, frame D, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD040C3AYNANC0	PowerFlex 70, 480 V AC, 30 HP ND (22 kW), 40 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD040F0AYNANC0	PowerFlex 70, 480 V AC, 30 HP ND (22 kW), 40 A, flange mount, no HIM, EMC filter, enhanced control	Request a Quote
20AD040F3AYNANC0	PowerFlex 70, 480 V AC, 30 HP ND (22 kW), 40 A, flange mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD052A0AYNANC0	PowerFlex 70, 480 V AC, 40 HP ND (30 kW), 52 A, IP20 panel mount, frame E, no HIM, EMC filter, enhanced control	Request a Quote
20AD052A0AYNANG0	PowerFlex 70, 480 V AC, 40 HP ND (30 kW), 52 A, IP20 panel mount, frame E, no HIM, EMC filter, enhanced control with Safe Torque Off	Request a Quote
20AD052A3AYNACC0	PowerFlex 70, 480 V AC, 40 HP ND (30 kW), 52 A, IP20 panel mount, frame E, full numeric LCD HIM, EMC filter, ControlNet adapter, enhanced control	Request a Quote
20AD052A3AYNAEC0	PowerFlex 70, 480 V AC, 40 HP ND (30 kW), 52 A, IP20 panel mount, frame E, full numeric LCD HIM, EMC filter, EtherNet/IP adapter, enhanced control	Request a Quote
20AD052A3AYNANC0	PowerFlex 70, 480 V AC, 40 HP ND (30 kW), 52 A, IP20 panel mount, frame E, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD052C3AYNANC0	PowerFlex 70, 480 V AC, 40 HP ND (30 kW), 52 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD052F3AYNANC0	PowerFlex 70, 480 V AC, 40 HP ND (30 kW), 52 A, flange mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote
20AD065A0AYNANG0	PowerFlex 70, 480 V AC, 50 HP ND (37 kW), 65 A, IP20 panel mount, frame E, no HIM, EMC filter, enhanced control with Safe Torque Off	Request a Quote
20AD065C3AYNANC0	PowerFlex 70, 480 V AC, 50 HP ND (37 kW), 65 A, IP66 NEMA/UL Type 4X/12 wall mount, full numeric LCD HIM, EMC filter, enhanced control	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, PowerFlex, DriveGuard, FORCE Technology and Rockwell Automation are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog number positions and ratings are taken from PowerFlex 70 Adjustable Frequency AC Drive Technical Data, Rockwell Automation publication 20A-TD001O-EN-P (September 2024), pages 6...10 and 42...43. They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.