

Allen-Bradley PowerFlex 700S drives with Phase II control (20D), catalog number list

143 catalog numbers for Allen-Bradley PowerFlex 700S drives with Phase II control (20D), decoded with the official catalog number explanation and product selection tables. ND / HD = normal / heavy duty; amps are continuous output current at normal duty. Catalog number: position 4 = voltage (C 400 V AC, D 480 V AC); 5...7 = normal-duty rating code; 8 = enclosure (A IP20, NEMA Type 1 with conformal coat; IP21 on frames 9 and up); 9 = HIM (0 blank cover, 3 full numeric LCD); 10 = documentation (E English manual, N none); 11 = brake IGBT (Y, N); 12 = brake resistor (Y, N); 13 = emission (A CE filter and CM choke, B CE filter only, N none); 14 = comm slot (C DPI ControlNet, D DPI DeviceNet, E DPI EtherNet/IP, N none); 15 = control options (A...D expanded cassette with or without Logix expansion and SynchLink, G/H slim cassette without or with SynchLink); 16 = feedback (N standard incremental encoder, E second encoder, S Safe Torque Off with second encoder); 17 = E Phase II control, K Phase II DriveLogix 5730. Ask us for availability, lead time and price for any item below.

380...400 V AC, 3-phase input (ratings in kW)

ORDER NUMBER	DESCRIPTION	
20DC8P7A0EYNANANE	PowerFlex 700S, 380...400 V AC, 4.0 kW ND / 2.2 kW HD, 8.7 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC8P7A0EYNANANK	PowerFlex 700S, 380...400 V AC, 4.0 kW ND / 2.2 kW HD, 8.7 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC011A0EYNANANE	PowerFlex 700S, 380...400 V AC, 5.5 kW ND / 4.0 kW HD, 11.5 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC015A0EYNANANE	PowerFlex 700S, 380...400 V AC, 7.5 kW ND / 5.5 kW HD, 15.4 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC015A0EYYANANE	PowerFlex 700S, 380...400 V AC, 7.5 kW ND / 5.5 kW HD, 15.4 A, frame 1, no HIM, brake IGBT, brake resistor, CE filter and CM choke, expanded cassette	Request a Quote
20DC015A0EYYANBNE	PowerFlex 700S, 380...400 V AC, 7.5 kW ND / 5.5 kW HD, 15.4 A, frame 1, no HIM, brake IGBT, brake resistor, CE filter and CM choke, expanded cassette, SynchLink	Request a Quote
20DC015A0NYNACASE	PowerFlex 700S, 380...400 V AC, 7.5 kW ND / 5.5 kW HD, 15.4 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote
20DC015A0NYNANANE	PowerFlex 700S, 380...400 V AC, 7.5 kW ND / 5.5 kW HD, 15.4 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC015A3NYNAEASE	PowerFlex 700S, 380...400 V AC, 7.5 kW ND / 5.5 kW HD, 15.4 A, frame 1, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DC022A0EYNANANE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC022A0EYNANANK	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC022A0EYNANBNE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, SynchLink	Request a Quote
20DC022A0EYNANCNK	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Logix expansion, DriveLogix 5730	Request a Quote
20DC022A0EYNANGNE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, slim cassette	Request a Quote
20DC022A0EYYANANE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, brake resistor, CE filter and CM choke, expanded cassette	Request a Quote
20DC022A0NYNACANE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette, no documentation	Request a Quote
20DC022A0NYNANGNE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, slim cassette, no documentation	Request a Quote
20DC022A0NYYANANE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, no HIM, brake IGBT, brake resistor, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC022A3EYNAEBSE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, SynchLink, Safe Torque Off with second encoder	Request a Quote
20DC022A3NYNACGNE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DC022A3NYNAEASE	PowerFlex 700S, 380...400 V AC, 11 kW ND / 7.5 kW HD, 22 A, frame 1, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote
20DC030A0EYNANANE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC030A0EYNANASE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DC030A0EYNANBNE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, SynchLink	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DC030A0EYYANANE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, no HIM, brake IGBT, brake resistor, CE filter and CM choke, expanded cassette	Request a Quote
20DC030A0NYNACASE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote
20DC030A0NYNANANE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC030A0NYNANGNE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, slim cassette, no documentation	Request a Quote
20DC030A3EYNANANE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC030A3EYNANBNE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette, SynchLink	Request a Quote
20DC030A3NYNACGNE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DC030A3NYNAEASE	PowerFlex 700S, 380...400 V AC, 15 kW ND / 11 kW HD, 30 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote
20DC037A0EYNANANE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC037A0EYNANANK	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC037A0EYNANASE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DC037A0EYNANCNK	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Logix expansion, DriveLogix 5730	Request a Quote
20DC037A0NYNANANE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC037A0NYNANASE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DC037A3EYNACANE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette	Request a Quote
20DC037A3EYNAEASE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DC037A3EYNANANE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC037A3NYNACASE	PowerFlex 700S, 380...400 V AC, 18.5 kW ND / 15 kW HD, 37 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote
20DC043A0EYNANANE	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC043A0EYNANANK	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC043A0EYNANASE	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DC043A0EYNANGNE	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, slim cassette	Request a Quote
20DC043A0NYNANANE	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC043A0NYNANGNE	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, slim cassette, no documentation	Request a Quote
20DC043A3EYNAEBSE	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, SynchLink, Safe Torque Off with second encoder	Request a Quote
20DC043A3NYNACGNE	PowerFlex 700S, 380...400 V AC, 22 kW ND / 18.5 kW HD, 43 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DC056A0EYNANANE	PowerFlex 700S, 380...400 V AC, 30 kW ND / 22 kW HD, 56 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC056A0EYNANANK	PowerFlex 700S, 380...400 V AC, 30 kW ND / 22 kW HD, 56 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC056A0EYNANASE	PowerFlex 700S, 380...400 V AC, 30 kW ND / 22 kW HD, 56 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DC056A0NYNANANE	PowerFlex 700S, 380...400 V AC, 30 kW ND / 22 kW HD, 56 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC072A0EYNANANE	PowerFlex 700S, 380...400 V AC, 37 kW ND / 30 kW HD, 72 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC072A0EYNANANK	PowerFlex 700S, 380...400 V AC, 37 kW ND / 30 kW HD, 72 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC072A0EYNANASE	PowerFlex 700S, 380...400 V AC, 37 kW ND / 30 kW HD, 72 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DC072A0EYNANCNK	PowerFlex 700S, 380...400 V AC, 37 kW ND / 30 kW HD, 72 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Logix expansion, DriveLogix 5730	Request a Quote
20DC072A0NYNANANE	PowerFlex 700S, 380...400 V AC, 37 kW ND / 30 kW HD, 72 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC085A0EYNANANE	PowerFlex 700S, 380...400 V AC, 45 kW ND / 37 kW HD, 85 A, frame 4, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC085A0EYNANANK	PowerFlex 700S, 380...400 V AC, 45 kW ND / 37 kW HD, 85 A, frame 4, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC140A0EYNANANK	PowerFlex 700S, 380...400 V AC, 75 kW ND / 55 kW HD, 140 A, frame 5, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC140A0EYNANCNK	PowerFlex 700S, 380...400 V AC, 75 kW ND / 55 kW HD, 140 A, frame 5, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Logix expansion, DriveLogix 5730	Request a Quote
20DC140A3ENNANANE	PowerFlex 700S, 380...400 V AC, 75 kW ND / 55 kW HD, 140 A, frame 5, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC140A3EYNANANE	PowerFlex 700S, 380...400 V AC, 75 kW ND / 55 kW HD, 140 A, frame 5, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC170A0ENNANANE	PowerFlex 700S, 380...400 V AC, 90 kW ND / 75 kW HD, 170 A, frame 6, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC170A0ENNANANK	PowerFlex 700S, 380...400 V AC, 90 kW ND / 75 kW HD, 170 A, frame 6, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC170A0EYNANANE	PowerFlex 700S, 380...400 V AC, 90 kW ND / 75 kW HD, 170 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC170A3ENNANANE	PowerFlex 700S, 380...400 V AC, 90 kW ND / 75 kW HD, 170 A, frame 6, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DC170A3EYNANANE	PowerFlex 700S, 380...400 V AC, 90 kW ND / 75 kW HD, 170 A, frame 6, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC205A0ENNANANE	PowerFlex 700S, 380...400 V AC, 110 kW ND / 90 kW HD, 205 A, frame 6, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC205A0EYNANANE	PowerFlex 700S, 380...400 V AC, 110 kW ND / 90 kW HD, 205 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC205A0EYNANANK	PowerFlex 700S, 380...400 V AC, 110 kW ND / 90 kW HD, 205 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DC205A0NYNANANE	PowerFlex 700S, 380...400 V AC, 110 kW ND / 90 kW HD, 205 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DC205A0NYNANANK	PowerFlex 700S, 380...400 V AC, 110 kW ND / 90 kW HD, 205 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730, no documentation	Request a Quote
20DC205A3ENNANANE	PowerFlex 700S, 380...400 V AC, 110 kW ND / 90 kW HD, 205 A, frame 6, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC205A3EYNANANE	PowerFlex 700S, 380...400 V AC, 110 kW ND / 90 kW HD, 205 A, frame 6, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC260A0ENNANANE	PowerFlex 700S, 380...400 V AC, 132 kW ND / 110 kW HD, 260 A, frame 6, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC260A0EYNANANE	PowerFlex 700S, 380...400 V AC, 132 kW ND / 110 kW HD, 260 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC260A3ENNANANE	PowerFlex 700S, 380...400 V AC, 132 kW ND / 110 kW HD, 260 A, frame 6, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DC260A3EYNANANE	PowerFlex 700S, 380...400 V AC, 132 kW ND / 110 kW HD, 260 A, frame 6, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote

480 V AC, 3-phase input (ratings in HP)

ORDER NUMBER	DESCRIPTION	
20DD2P1A0EYNANANE	PowerFlex 700S, 480 V AC, 1.0 HP ND / 0.75 HP HD, 2.1 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD2P1A0EYNANASE	PowerFlex 700S, 480 V AC, 1.0 HP ND / 0.75 HP HD, 2.1 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD2P1A3EYYACASE	PowerFlex 700S, 480 V AC, 1.0 HP ND / 0.75 HP HD, 2.1 A, frame 1, full numeric LCD HIM, brake IGBT, brake resistor, CE filter and CM choke, ControlNet adapter, expanded cassette, Safe Torque Off with second encoder	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DD3P4A0EYNANANE	PowerFlex 700S, 480 V AC, 2.0 HP ND / 1.5 HP HD, 3.4 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD3P4A0EYNANBNE	PowerFlex 700S, 480 V AC, 2.0 HP ND / 1.5 HP HD, 3.4 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, SynchLink	Request a Quote
20DD5P0A0EYNAEANE	PowerFlex 700S, 480 V AC, 3.0 HP ND / 2.0 HP HD, 5 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette	Request a Quote
20DD5P0A0EYNAEBSE	PowerFlex 700S, 480 V AC, 3.0 HP ND / 2.0 HP HD, 5 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, SynchLink, Safe Torque Off with second encoder	Request a Quote
20DD5P0A0EYNANANE	PowerFlex 700S, 480 V AC, 3.0 HP ND / 2.0 HP HD, 5 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD8P0A0EYNANASE	PowerFlex 700S, 480 V AC, 5.0 HP ND / 3.0 HP HD, 8 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD014A0EYNANANE	PowerFlex 700S, 480 V AC, 10 HP ND / 7.5 HP HD, 14 A, frame 1, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD022A3EYNADASE	PowerFlex 700S, 480 V AC, 15 HP ND / 10 HP HD, 22 A, frame 1, full numeric LCD HIM, brake IGBT, CE filter and CM choke, DeviceNet adapter, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD022A3EYNAEHNE	PowerFlex 700S, 480 V AC, 15 HP ND / 10 HP HD, 22 A, frame 1, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, slim cassette, SynchLink	Request a Quote
20DD027A0NYNANANE	PowerFlex 700S, 480 V AC, 20 HP ND / 15 HP HD, 27 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DD034A0EYNANANE	PowerFlex 700S, 480 V AC, 25 HP ND / 20 HP HD, 34 A, frame 2, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD034A0EYYANANE	PowerFlex 700S, 480 V AC, 25 HP ND / 20 HP HD, 34 A, frame 2, no HIM, brake IGBT, brake resistor, CE filter and CM choke, expanded cassette	Request a Quote
20DD034A3EYNACANE	PowerFlex 700S, 480 V AC, 25 HP ND / 20 HP HD, 34 A, frame 2, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette	Request a Quote
20DD040A0EYNANANE	PowerFlex 700S, 480 V AC, 30 HP ND / 25 HP HD, 40 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD040A3NYNACGNE	PowerFlex 700S, 480 V AC, 30 HP ND / 25 HP HD, 40 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD052A0EYNANANE	PowerFlex 700S, 480 V AC, 40 HP ND / 30 HP HD, 52 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD052A3EYNACANE	PowerFlex 700S, 480 V AC, 40 HP ND / 30 HP HD, 52 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DD052A3EYNACCNK	PowerFlex 700S, 480 V AC, 40 HP ND / 30 HP HD, 52 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette, Logix expansion, DriveLogix 5730	Request a Quote
20DD052A3EYNAEANE	PowerFlex 700S, 480 V AC, 40 HP ND / 30 HP HD, 52 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette	Request a Quote
20DD052A3NYNACGNE	PowerFlex 700S, 480 V AC, 40 HP ND / 30 HP HD, 52 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD052A3NYNANANK	PowerFlex 700S, 480 V AC, 40 HP ND / 30 HP HD, 52 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730, no documentation	Request a Quote
20DD065A0EYNACGNE	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette	Request a Quote
20DD065A0EYNANANE	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD065A0EYNANANK	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730	Request a Quote
20DD065A0EYNANASE	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD065A0NYNACGNE	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD065A0NYNANANE	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, no documentation	Request a Quote
20DD065A0NYNANCSK	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, no HIM, brake IGBT, CE filter and CM choke, expanded cassette, Logix expansion, Safe Torque Off with second encoder, DriveLogix 5730, no documentation	Request a Quote
20DD065A3NYNACASE	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote
20DD065A3NYNACGNE	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD065A3NYNANANK	PowerFlex 700S, 480 V AC, 50 HP ND / 40 HP HD, 65 A, frame 3, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette, DriveLogix 5730, no documentation	Request a Quote
20DD077A0ENNANANE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD077A0EYNANANE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DD077A3ENNACANE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette	Request a Quote
20DD077A3EYNADASE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, full numeric LCD HIM, brake IGBT, CE filter and CM choke, DeviceNet adapter, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD077A3EYNANANE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD077A3EYNANASE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD077A3NNNACGNE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD077A3NYNACASE	PowerFlex 700S, 480 V AC, 60 HP ND / 50 HP HD, 77 A, frame 4, full numeric LCD HIM, brake IGBT, CE filter and CM choke, ControlNet adapter, expanded cassette, Safe Torque Off with second encoder, no documentation	Request a Quote
20DD096A0ENNANANE	PowerFlex 700S, 480 V AC, 75 HP ND / 60 HP HD, 96 A, frame 5, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD096A0EYNANANE	PowerFlex 700S, 480 V AC, 75 HP ND / 60 HP HD, 96 A, frame 5, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD096A3EYNADASE	PowerFlex 700S, 480 V AC, 75 HP ND / 60 HP HD, 96 A, frame 5, full numeric LCD HIM, brake IGBT, CE filter and CM choke, DeviceNet adapter, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD096A3EYNANANE	PowerFlex 700S, 480 V AC, 75 HP ND / 60 HP HD, 96 A, frame 5, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD125A0ENNANANE	PowerFlex 700S, 480 V AC, 100 HP ND / 75 HP HD, 125 A, frame 5, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD125A3NNNACGNE	PowerFlex 700S, 480 V AC, 100 HP ND / 75 HP HD, 125 A, frame 5, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD125A3NYNAEANE	PowerFlex 700S, 480 V AC, 100 HP ND / 75 HP HD, 125 A, frame 5, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, no documentation	Request a Quote
20DD156A0ENNANANE	PowerFlex 700S, 480 V AC, 125 HP ND / 100 HP HD, 156 A, frame 6, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD156A0EYNANANE	PowerFlex 700S, 480 V AC, 125 HP ND / 100 HP HD, 156 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD156A3ENNANANE	PowerFlex 700S, 480 V AC, 125 HP ND / 100 HP HD, 156 A, frame 6, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote

ORDER NUMBER	DESCRIPTION	
20DD156A3EYNADASE	PowerFlex 700S, 480 V AC, 125 HP ND / 100 HP HD, 156 A, frame 6, full numeric LCD HIM, brake IGBT, CE filter and CM choke, DeviceNet adapter, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD156A3EYNANANE	PowerFlex 700S, 480 V AC, 125 HP ND / 100 HP HD, 156 A, frame 6, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD156A3NNNACGNE	PowerFlex 700S, 480 V AC, 125 HP ND / 100 HP HD, 156 A, frame 6, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD248A0ENNANANE	PowerFlex 700S, 480 V AC, 200 HP ND / 150 HP HD, 248 A, frame 6, no HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD248A0EYNANANE	PowerFlex 700S, 480 V AC, 200 HP ND / 150 HP HD, 248 A, frame 6, no HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD248A3ENNANANE	PowerFlex 700S, 480 V AC, 200 HP ND / 150 HP HD, 248 A, frame 6, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD248A3EYNAEASE	PowerFlex 700S, 480 V AC, 200 HP ND / 150 HP HD, 248 A, frame 6, full numeric LCD HIM, brake IGBT, CE filter and CM choke, EtherNet/IP adapter, expanded cassette, Safe Torque Off with second encoder	Request a Quote
20DD248A3EYNANANE	PowerFlex 700S, 480 V AC, 200 HP ND / 150 HP HD, 248 A, frame 6, full numeric LCD HIM, brake IGBT, CE filter and CM choke, expanded cassette	Request a Quote
20DD248A3NNNACGNE	PowerFlex 700S, 480 V AC, 200 HP ND / 150 HP HD, 248 A, frame 6, full numeric LCD HIM, no brake IGBT, CE filter and CM choke, ControlNet adapter, slim cassette, no documentation	Request a Quote
20DD460A3ENNBEANE	PowerFlex 700S, 480 V AC, 350 HP ND / 300 HP HD, 460 A, frame 10, full numeric LCD HIM, no brake IGBT, CE filter, EtherNet/IP adapter, expanded cassette	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, PowerFlex, DriveLogix, SynchLink, FORCE Technology and Rockwell Automation are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog number positions, ratings and specifications are taken from PowerFlex 700S Drives with Phase II Control Technical Data, Rockwell Automation publication 20D-TD002Q-EN-P (September 2023), pages 3...12 and 101...102. They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.