

Kinetix TLP, TL/TLY, MPM, MPS, VPC and HPK servo motor catalog number list

67 catalog numbers for Allen-Bradley Kinetix servo motors: TLP multi-purpose, TL and TLY compact, MPM medium-inertia, MPS stainless-steel, VPC continuous-duty and HPK asynchronous motors, decoded with the catalog-number tables of the official Rockwell technical data. In each row, the frame is the bolt-circle size and the torque is the continuous stall torque. Ask us for availability, lead time and price for any item below.

Kinetix TLP multi-purpose servo motors

ORDER NUMBER	DESCRIPTION	
TLP-A070-040-DKA32A	TLP, 200V class, 70 mm frame, 0.40 kW, 1.27 N·m continuous stall torque; no brake, smooth shaft	Request a Quote
TLP-A090-075-DJA14A	TLP, 200V class, 90 mm frame, 0.75 kW, 2.39 N·m continuous stall torque; brake, key	Request a Quote
TLP-A115-200-DJMC2A	TLP, 200V class, 115 mm frame, 2.0 kW, 6.37 N·m continuous stall torque; no brake, key	Request a Quote
TLP-A115-200-DJMC4A	TLP, 200V class, 115 mm frame, 2.0 kW, 6.37 N·m continuous stall torque; brake, key	Request a Quote
TLP-A145-250-DJMC2A	TLP, 200V class, 145 mm frame, 2.5 kW, 7.96 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B070-040-DJA34A	TLP, 400V class, 70 mm frame, 0.40 kW, 1.27 N·m continuous stall torque; brake, key	Request a Quote
TLP-B115-200-DJMC2A	TLP, 400V class, 115 mm frame, 2.0 kW, 6.37 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B115-200-DJMC4A	TLP, 400V class, 115 mm frame, 2.0 kW, 6.37 N·m continuous stall torque; brake, key	Request a Quote
TLP-B145-050-DJMC2A	TLP, 400V class, 145 mm frame, 0.50 kW, 2.39 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B145-150-DJMC2A	TLP, 400V class, 145 mm frame, 1.5 kW, 7.16 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B145-200-DJMC2A	TLP, 400V class, 145 mm frame, 2.0 kW, 9.55 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B200-300-DJMD4A	TLP, 400V class, 200 mm frame, 3.0 kW, 19.1 N·m continuous stall torque; brake, key	Request a Quote
TLP-B200-300-DJMD4S	TLP, 400V class, 200 mm frame, 3.0 kW, 19.1 N·m continuous stall torque; brake, key, shaft seal	Request a Quote
TLP-B200-300-DKMD2A	TLP, 400V class, 200 mm frame, 3.0 kW, 19.1 N·m continuous stall torque; no brake, smooth shaft	Request a Quote
TLP-B200-300-DKMD2S	TLP, 400V class, 200 mm frame, 3.0 kW, 19.1 N·m continuous stall torque; no brake, smooth shaft, shaft seal	Request a Quote

ORDER NUMBER	DESCRIPTION	
TLP-B200-300-DKMD4A	TLP, 400V class, 200 mm frame, 3.0 kW, 19.1 N·m continuous stall torque; brake, smooth shaft	Request a Quote
TLP-B200-300-DKMD4S	TLP, 400V class, 200 mm frame, 3.0 kW, 19.1 N·m continuous stall torque; brake, smooth shaft, shaft seal	Request a Quote
TLP-B200-450-DJMD2A	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B200-450-DJMD2S	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; no brake, key, shaft seal	Request a Quote
TLP-B200-450-DJMD4A	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; brake, key	Request a Quote
TLP-B200-450-DJMD4S	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; brake, key, shaft seal	Request a Quote
TLP-B200-450-DKMD2A	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; no brake, smooth shaft	Request a Quote
TLP-B200-450-DKMD2S	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; no brake, smooth shaft, shaft seal	Request a Quote
TLP-B200-450-DKMD4A	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; brake, smooth shaft	Request a Quote
TLP-B200-450-DKMD4S	TLP, 400V class, 200 mm frame, 4.5 kW, 28.7 N·m continuous stall torque; brake, smooth shaft, shaft seal	Request a Quote
TLP-B200-550-DJMD2A	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B200-550-DJMD2S	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; no brake, key, shaft seal	Request a Quote
TLP-B200-550-DJMD4A	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; brake, key	Request a Quote
TLP-B200-550-DJMD4S	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; brake, key, shaft seal	Request a Quote
TLP-B200-550-DKMD2A	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; no brake, smooth shaft	Request a Quote
TLP-B200-550-DKMD2S	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; no brake, smooth shaft, shaft seal	Request a Quote
TLP-B200-550-DKMD4A	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; brake, smooth shaft	Request a Quote
TLP-B200-550-DKMD4S	TLP, 400V class, 200 mm frame, 5.5 kW, 35.0 N·m continuous stall torque; brake, smooth shaft, shaft seal	Request a Quote
TLP-B200-750-DJMD2A	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; no brake, key	Request a Quote
TLP-B200-750-DJMD2S	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; no brake, key, shaft seal	Request a Quote
TLP-B200-750-DJMD4A	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; brake, key	Request a Quote

ORDER NUMBER	DESCRIPTION	
TLP-B200-750-DJMD4S	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; brake, key, shaft seal	Request a Quote
TLP-B200-750-DKMD2A	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; no brake, smooth shaft	Request a Quote
TLP-B200-750-DKMD2S	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; no brake, smooth shaft, shaft seal	Request a Quote
TLP-B200-750-DKMD4A	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; brake, smooth shaft	Request a Quote
TLP-B200-750-DKMD4S	TLP, 400V class, 200 mm frame, 7.5 kW, 47.7 N·m continuous stall torque; brake, smooth shaft, shaft seal	Request a Quote

Kinetix TL and TLY compact servo motors

ORDER NUMBER	DESCRIPTION	
TL-A2540P-BJ32AA	TL, 200V class, 90 mm frame, 0.86 kW, 2.94 N·m continuous stall torque, absolute encoder; no brake, key	Request a Quote
TLY-A220P-BJ64AA	TLY, 200V class, 70 mm frame, 0.24 kW, 0.757 N·m continuous stall torque, absolute encoder; brake, key	Request a Quote
TLY-A220T-HJ62AA	TLY, 200V class, 70 mm frame, 0.35 kW, 0.836 N·m continuous stall torque, incremental encoder; no brake, key	Request a Quote
TLY-A230P-BJ62AA	TLY, 200V class, 70 mm frame, 0.44 kW, 1.30 N·m continuous stall torque, absolute encoder; no brake, key	Request a Quote
TLY-A230T-HJ62AA	TLY, 200V class, 70 mm frame, 0.44 kW, 1.30 N·m continuous stall torque, incremental encoder; no brake, key	Request a Quote

Kinetix MPM medium-inertia servo motors

ORDER NUMBER	DESCRIPTION	
MPM-B1152C-MJ74AA	MPM, 400V class, 115 mm frame, 2 stacks, 1.20 kW, 4.74 N·m continuous stall torque; multi-turn encoder, brake	Request a Quote
MPM-B1152F-MJ74AA	MPM, 400V class, 115 mm frame, 2 stacks, 1.40 kW, 4.74 N·m continuous stall torque; multi-turn encoder, brake	Request a Quote
MPM-B1302F-MJ72AA	MPM, 400V class, 130 mm frame, 2 stacks, 1.65 kW, 5.99 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote
MPM-B1304C-MJ74AA	MPM, 400V class, 130 mm frame, 4 stacks, 2.00 kW, 10.2 N·m continuous stall torque; multi-turn encoder, brake	Request a Quote
MPM-B1304E-MJ72AA	MPM, 400V class, 130 mm frame, 4 stacks, 2.20 kW, 10.2 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote
MPM-B1651C-SJ74AA	MPM, 400V class, 165 mm frame, 1 stack, 2.50 kW, 10.7 N·m continuous stall torque; single-turn encoder, brake	Request a Quote
MPM-B1651F-MJ74AA	MPM, 400V class, 165 mm frame, 1 stack, 2.50 kW, 10.7 N·m continuous stall torque; multi-turn encoder, brake	Request a Quote
MPM-B1652E-MJ72AA	MPM, 400V class, 165 mm frame, 2 stacks, 4.30 kW, 19.4 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote

ORDER NUMBER	DESCRIPTION	
MPM-B1652E-SJ72AA	MPM, 400V class, 165 mm frame, 2 stacks, 4.30 kW, 19.4 N·m continuous stall torque; single-turn encoder, no brake	Request a Quote
MPM-B1652F-MJ72AA	MPM, 400V class, 165 mm frame, 2 stacks, 4.30 kW, 19.4 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote
MPM-B1652F-SJ72AA	MPM, 400V class, 165 mm frame, 2 stacks, 4.30 kW, 19.4 N·m continuous stall torque; single-turn encoder, no brake	Request a Quote
MPM-B1653E-SJ72AA	MPM, 400V class, 165 mm frame, 3 stacks, 5.10 kW, 26.8 N·m continuous stall torque; single-turn encoder, no brake	Request a Quote
MPM-B2152F-MJ72AA	MPM, 400V class, 215 mm frame, 2 stacks, 5.90 kW, 33.0 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote
MPM-B2152M-MJ72AA	MPM, 400V class, 215 mm frame, 2 stacks, 5.90 kW, 30.0 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote
MPM-B2153F-MJ72AA	MPM, 400V class, 215 mm frame, 3 stacks, 7.20 kW, 45.0 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote
MPM-B2153F-SJ72AA	MPM, 400V class, 215 mm frame, 3 stacks, 7.20 kW, 45.0 N·m continuous stall torque; single-turn encoder, no brake	Request a Quote
MPM-B2154F-MJ72AA	MPM, 400V class, 215 mm frame, 4 stacks, 7.50 kW, 56.0 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote

Kinetix MPS stainless-steel servo motors

ORDER NUMBER	DESCRIPTION	
MPS-B330P-MJ54DA	MPS stainless steel, 400V class, 100 mm frame, 1.3 kW, 3.6 N·m continuous stall torque; multi-turn encoder, brake	Request a Quote
MPS-B4540F-MJ52DA	MPS stainless steel, 400V class, 130 mm frame, 1.4 kW, 8.1 N·m continuous stall torque; multi-turn encoder, no brake	Request a Quote

Kinetix VPC continuous-duty servo motor

ORDER NUMBER	DESCRIPTION	
VPC-B3004A-MJ72FS	VPC continuous duty, 400V class, 300 mm frame, 4 stacks, 30.0 kW, forced ventilation; multi-turn encoder, no brake	Request a Quote

Kinetix HPK asynchronous servo motor

ORDER NUMBER	DESCRIPTION	
HPK-E1310C-MA42AA	HPK asynchronous, 400V, frame 1310, 1500 rpm, 23.8 kW, 155 N·m continuous stall torque, inline blower; no brake	Request a Quote

Prepared by GEARWELL, 2026-10-14. Allen-Bradley, Kinetix and SpeedTec are trademarks of Rockwell Automation, Inc. GEARWELL is an independent supplier and is not affiliated with or authorized by Rockwell Automation. Catalog numbers, ratings and specifications are taken from Kinetix Rotary Motion Specifications Technical Data, Rockwell Automation publication KNX-TD001J-EN-P (August 2024). They are given for identification; confirm the full catalog number with the product label before ordering. Official documentation: literature.rockwellautomation.com.