

Beckhoff EtherCAT Terminals, analog input and position measurement, article list

39 Beckhoff articles that GEARWELL lists. Each line gives the Beckhoff product description, protection rating and operating temperature taken from the Beckhoff product page for that article. Ask us for availability, lead time and price for any article below.

EtherCAT Terminals, analog input (EL3xxx)

ORDER NUMBER	DESCRIPTION	
EL3001	EtherCAT Terminal, 1-channel analog input, voltage, ± 10 V, 12 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3012	EtherCAT Terminal, 2-channel analog input, current, 0...20 mA, 12 bit, differential; IP20; -25...+60 °C	Request a Quote
EL3022	EtherCAT Terminal, 2-channel analog input, current, 4...20 mA, 12 bit, differential; IP20; -25...+60 °C	Request a Quote
EL3042	EtherCAT Terminal, 2-channel analog input, current, 0...20 mA, 12 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3052	EtherCAT Terminal, 2-channel analog input, current, 4...20 mA, 12 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3054	EtherCAT Terminal, 4-channel analog input, current, 4...20 mA, 12 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3058	EtherCAT Terminal, 8-channel analog input, current, 4...20 mA, 12 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3064	EtherCAT Terminal, 4-channel analog input, voltage, 0...10 V, 12 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3068	EtherCAT Terminal, 8-channel analog input, voltage, 0...10 V, 12 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3104	EtherCAT Terminal, 4-channel analog input, voltage, ± 10 V, 16 bit, differential; IP20; -25...+60 °C	Request a Quote
EL3111	EtherCAT Terminal, 1-channel analog input, current, 0...20 mA, 16 bit, differential; IP20; -25...+60 °C	Request a Quote
EL3114	EtherCAT Terminal, 4-channel analog input, current, 0...20 mA, 16 bit, differential; IP20; -25...+60 °C	Request a Quote
EL3121	EtherCAT Terminal, 1-channel analog input, current, 4...20 mA, 16 bit, differential; IP20; -25...+60 °C	Request a Quote
EL3142	EtherCAT Terminal, 2-channel analog input, current, 0...20 mA, 16 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3151	EtherCAT Terminal, 1-channel analog input, current, 4...20 mA, 16 bit, single-ended; IP20; -25...+60 °C	Request a Quote

ORDER NUMBER	DESCRIPTION	
EL3152	EtherCAT Terminal, 2-channel analog input, current, 4...20 mA, 16 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3154	EtherCAT Terminal, 4-channel analog input, current, 4...20 mA, 16 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3161	EtherCAT Terminal, 1-channel analog input, voltage, 0...10 V, 16 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3162	EtherCAT Terminal, 2-channel analog input, voltage, 0...10 V, 16 bit, single-ended; IP20; -25...+60 °C	Request a Quote
EL3201	EtherCAT Terminal, 1-channel analog input, temperature, RTD (Pt100), 16 bit; IP20; -25...+60 °C	Request a Quote
EL3202	EtherCAT Terminal, 2-channel analog input, temperature, RTD (Pt100), 16 bit; IP20; -25...+60 °C	Request a Quote
EL3204	EtherCAT Terminal, 4-channel analog input, temperature, RTD (Pt100), 16 bit; IP20; -25...+60 °C	Request a Quote
EL3208	EtherCAT Terminal, 8-channel analog input, temperature, RTD (Pt100), 16 bit; IP20; -25...+60 °C	Request a Quote
EL3214	EtherCAT Terminal, 4-channel analog input, temperature, RTD (Pt100), 16 bit, 3-wire connection; IP20; -25...+60 °C	Request a Quote
EL3314	EtherCAT Terminal, 4-channel analog input, temperature, thermocouple, 16 bit; IP20; -25...+60 °C	Request a Quote
EL3351	EtherCAT Terminal, 1-channel analog input, measuring bridge, full bridge, 16 bit; IP20; -25...+55 °C	Request a Quote
EL3356	EtherCAT Terminal, 1-channel analog input, measuring bridge, full bridge, 16 bit; IP20; -25...+55 °C	Request a Quote
EL3356-0010	EtherCAT Terminal, 1-channel analog input, measuring bridge, full bridge, 24 bit, high-precision; IP20; -25...+55 °C	Request a Quote
EL3403	EtherCAT Terminal, 3-channel analog input, power measurement, 500 V AC, 1 A, 16 bit; IP20	Request a Quote
EL3433	EtherCAT Terminal, 3-channel analog input, power measurement, 500 V AC, 10 A, 16 bit (service phase); IP20; -25...+60 °C	Request a Quote
EL3602	EtherCAT Terminal, 2-channel analog input, voltage, ± 10 V, ± 5 V, ± 2.5 V, ± 1.25 V, 24 bit, high-precision; IP20; -25...+60 °C	Request a Quote
EL3632	EtherCAT Terminal, 2-channel analog input, IEPE/accelerometer, 16 bit, 50 ksp/s; IP20; -25...+55 °C	Request a Quote
EL3681	EtherCAT Terminal, 1-channel analog input, multimeter, 300 V AC/DC, 10 A, 19 bit; IP20; -25...+60 °C	Request a Quote
EL3692	EtherCAT Terminal, 2-channel analog input, resistance, 100 m Ω ...10 M Ω , 24 bit; IP20; -25...+60 °C	Request a Quote
EL3702	EtherCAT Terminal, 2-channel analog input, voltage, ± 10 V, 16 bit, oversampling; IP20; -25...+60 °C	Request a Quote

EtherCAT Terminals, position measurement (EL5xxx)

ORDER NUMBER	DESCRIPTION	
EL5001	EtherCAT Terminal, 1-channel encoder interface, SSI; IP20; -25...+60 °C	Request a Quote
EL5021-0090	EtherCAT Terminal, 1-channel encoder interface, SinCos, 1 VPP, TwinSAFE SC; IP20; -25...+55 °C	Request a Quote
EL5032	EtherCAT Terminal, 2-channel encoder interface, EnDat® 2.2; IP20; 0...55 °C	Request a Quote
EL5102	EtherCAT Terminal, 2-channel encoder interface, incremental, 5 V DC (DIFF RS422, TTL, open collector), 5 MHz; IP20; -25...+60 °C	Request a Quote

Prepared by GEARWELL, 2026-10-14. Beckhoff®, TwinCAT®, EtherCAT®, EtherCAT P® and TwinSAFE® are registered trademarks of Beckhoff Automation GmbH. GEARWELL is an independent supplier and is not affiliated with or authorized by Beckhoff Automation. Order numbers, descriptions and technical data are taken from the Beckhoff product pages at www.beckhoff.com (English, retrieved 2026-10-14). They are given for identification; confirm the full order number, including any ordering option, before ordering. Official documentation: www.beckhoff.com.