

Beckhoff EtherCAT Terminals, analog output, communication and system, article list

50 Beckhoff articles that GEARWELL lists. Each line gives the Beckhoff product description, protection rating and operating temperature taken from the Beckhoff product page for that article. Ask us for availability, lead time and price for any article below.

EtherCAT Terminals, analog output (EL4xxx)

ORDER NUMBER	DESCRIPTION	
EL4001	EtherCAT Terminal, 1-channel analog output, voltage, 0...10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4002	EtherCAT Terminal, 2-channel analog output, voltage, 0...10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4004	EtherCAT Terminal, 4-channel analog output, voltage, 0...10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4008	EtherCAT Terminal, 8-channel analog output, voltage, 0...10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4011	EtherCAT Terminal, 1-channel analog output, current, 0...20 mA, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4014	EtherCAT Terminal, 4-channel analog output, current, 0...20 mA, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4018	EtherCAT Terminal, 8-channel analog output, current, 0...20 mA, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4022	EtherCAT Terminal, 2-channel analog output, current, 4...20 mA, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4024	EtherCAT Terminal, 4-channel analog output, current, 4...20 mA, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4031	EtherCAT Terminal, 1-channel analog output, voltage, ± 10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4032	EtherCAT Terminal, 2-channel analog output, voltage, ± 10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4034	EtherCAT Terminal, 4-channel analog output, voltage, ± 10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4038	EtherCAT Terminal, 8-channel analog output, voltage, ± 10 V, 12 bit; IP20; -25...+60 °C	Request a Quote
EL4104	EtherCAT Terminal, 4-channel analog output, voltage, 0...10 V, 16 bit; IP20; -25...+60 °C	Request a Quote
EL4112	EtherCAT Terminal, 2-channel analog output, current, 0...20 mA, 16 bit; IP20; -25...+55 °C	Request a Quote

ORDER NUMBER	DESCRIPTION	
EL4112-0010	EtherCAT Terminal, 2-channel analog output, current, ± 10 mA, 16 bit; IP20; -25...+55 °C	Request a Quote
EL4114	EtherCAT Terminal, 4-channel analog output, current, 0...20 mA, 16 bit; IP20; -25...+55 °C	Request a Quote
EL4122	EtherCAT Terminal, 2-channel analog output, current, 4...20 mA, 16 bit; IP20; -25...+55 °C	Request a Quote
EL4124	EtherCAT Terminal, 4-channel analog output, current, 4...20 mA, 16 bit; IP20; -25...+55 °C	Request a Quote
EL4132	EtherCAT Terminal, 2-channel analog output, voltage, ± 10 V, 16 bit; IP20; -25...+60 °C	Request a Quote
EL4134	EtherCAT Terminal, 4-channel analog output, voltage, ± 10 V, 16 bit; IP20; -25...+60 °C	Request a Quote
EL4732	EtherCAT Terminal, 2-channel analog output, voltage, ± 10 V, 16 bit, oversampling; IP20; -25...+60 °C	Request a Quote

EtherCAT Terminals, communication (EL6xxx)

ORDER NUMBER	DESCRIPTION	
EL6001	EtherCAT Terminal, 1-channel communication interface, serial, RS232; IP20; -25...+60 °C	Request a Quote
EL6021	EtherCAT Terminal, 1-channel communication interface, serial, RS422/RS485; IP20; -25...+60 °C	Request a Quote
EL6022	EtherCAT Terminal, 2-channel communication interface, serial, RS422/RS485, D-sub; IP20; -25...+60 °C	Request a Quote
EL6080	EtherCAT Terminal, 1-channel communication interface, memory, 128 kByte, NOVRAM; IP20; -25...+60 °C	Request a Quote
EL6224	EtherCAT Terminal, 4-channel communication interface, IO-Link, master; IP20; -25...+60 °C	Request a Quote
EL6224-0090	EtherCAT Terminal, 4-channel communication interface, IO-Link, master, TwinSAFE SC; IP20; -25...+60 °C	Request a Quote
EL6631-0010	EtherCAT Terminal, 2-port communication interface, PROFINET RT, device; IP20; 0...55 °C	Request a Quote
EL6652-0010	EtherCAT Terminal, 2-port communication interface, EtherNet/IP™, adapter; IP20; 0...55 °C	Request a Quote
EL6695	EtherCAT Terminal, communication interface, EtherCAT bridge, extended functions; IP20; 0...55 °C	Request a Quote
EL6751	EtherCAT Terminal, 1-channel communication interface, CANopen, master/slave; IP20; -25...+60 °C	Request a Quote
EL6751-0010	EtherCAT Terminal, 1-channel communication interface, CANopen, slave; IP20; -25...+60 °C	Request a Quote
EL6900	EtherCAT Terminal communication interface, TwinSAFE Logic; IP20	Request a Quote

EtherCAT Terminals, system (EL9xxx)

ORDER NUMBER	DESCRIPTION	
EL9011	EtherCAT Terminal, end cover, E-bus contacts, gray; -25...+60 °C	Request a Quote
EL9080	EtherCAT Terminal, potential group separation; -25...+60 °C	Request a Quote
EL9100	EtherCAT Terminal, potential supply, 24 V DC, 10 A; -25...+60 °C	Request a Quote
EL9110	EtherCAT Terminal, potential supply, 24 V DC, 10 A, with diagnostics; -25...+60 °C	Request a Quote
EL9150	EtherCAT Terminal, potential supply, 120...230 V AC, 10 A; -25...+60 °C	Request a Quote
EL9160	EtherCAT Terminal, potential supply, 120...230 V AC, 10 A, with diagnostics; -25...+60 °C	Request a Quote
EL9182	EtherCAT Terminal, potential distribution, 2 x 8 potentials; IP20; -25...+60 °C	Request a Quote
EL9183	EtherCAT Terminal, potential distribution, 16 x 1 potential; IP20; -25...+60 °C	Request a Quote
EL9185	EtherCAT Terminal, potential distribution, 4 x 24 V DC, 4 x 0 V DC; -25...+60 °C	Request a Quote
EL9188	EtherCAT Terminal, potential distribution, 16 x 24 V DC; -25...+60 °C	Request a Quote
EL9190	EtherCAT Terminal, potential supply, 0...230 V AC/DC, 10 A; -25...+60 °C	Request a Quote
EL9505	EtherCAT Terminal, power supply, 5 V DC, 0.5 A; IP20; 0...55 °C	Request a Quote
EL9508	EtherCAT Terminal, power supply, 8 V DC, 0.5 A; IP20; 0...55 °C	Request a Quote
EL9515	EtherCAT Terminal, power supply, 15 V DC, 0.5 A; IP20; 0...55 °C	Request a Quote
EL9550	EtherCAT Terminal, surge filter, system and field supply, 1.5 A/10 A; IP20; -25...+60 °C	Request a Quote
EL9570	EtherCAT Terminal, buffering, 48 V DC, 500 µF; IP20; 0...55 °C	Request a Quote

Prepared by GEARWELL, 2026-10-14. Beckhoff®, TwinCAT®, EtherCAT®, EtherCAT P® and TwinSAFE® are registered trademarks of Beckhoff Automation GmbH. GEARWELL is an independent supplier and is not affiliated with or authorized by Beckhoff Automation. Order numbers, descriptions and technical data are taken from the Beckhoff product pages at www.beckhoff.com (English, retrieved 2026-10-14). They are given for identification; confirm the full order number, including any ordering option, before ordering. Official documentation: www.beckhoff.com.